

**Primerjava terminske izmere 1978 z izmerami 1992, 1994, 1996 in 2000**

Izmera 1978			Izmera 1992		Izmera 1994		Izmera 1996		Izmera 2000		Primerjava 92-78			Primerjava 94-78			Primerjava 96-78			Primerjava 00-78		
Reper	H78 [m]	σ H78 [mm]	H92 [m]	σ92 [mm]	H94 [m]	σ94 [mm]	H96 [m]	σ96 [mm]	H00 [m]	σ00 [mm]	dH [mm] (H92 - H78)	σdH [mm]	Premik (≥ 3·σdH)	dH [mm] (H94 - H78)	σdH [mm]	Premik (≥ 3·σdH)	dH [mm] (H96 - H78)	σdH [mm]	Premik (≥ 3·σdH)	dH [mm] (H00 - H78)	σdH [mm]	Premik (≥ 3·σdH)
<b>FR5</b>	296.8047																					
<b>FR6</b>	293.9652																					
<b>FR7</b>	297.7311																					
<b>FR3</b>	302.7745	1.7	302.7726	2.1	302.7697	1.1	302.7701	2.1	302.7722	2.2	-1.9	2.7	-	-4.8	2.0	-	-4.4	2.7	-	-2.3	2.8	-
<b>71</b>	308.4217	1.7	308.4157	1.3							-6.0	2.1	-									
<b>73</b>	289.6264	1.7	289.5007	1.8	289.4800	1.0	289.4654	1.7			-125.7	2.5	da	-146.4	2.0	da	-161.0	2.4	da			
<b>101</b>	297.9873	1.7	297.9863	1.9	297.9852	1.0	297.9845	1.9	297.9867	2.1	-1.0	2.5	-	-2.1	2.0	-	-2.9	2.6	-	-0.6	2.7	-
<b>102</b>	292.6429	1.7	292.6376	2.0	292.6358	1.1					-5.4	2.6	-	-7.2	2.0	da						
<b>104</b>	295.1596	1.7	295.1365	1.8	295.1346	1.0	295.1322	1.9			-23.1	2.5	da	-25.0	2.0	da	-27.4	2.5	da			
<b>105</b>	295.6638	1.7	295.6623	1.8	295.6632	1.0					-1.5	2.5	-	-0.6	2.0	-						
<b>106</b>	297.1889	1.7	297.1775	1.7	297.1774	1.0	297.1742	1.7			-11.4	2.4	da	-11.5	2.0	da	-14.7	2.4	da			
<b>113</b>	298.2388	1.7	298.2315	1.6	298.2339	1.0	298.2321	1.6			-7.3	2.3	da	-4.9	2.0	-	-6.7	2.4	-			
<b>162</b>	297.8878	1.7	297.8857	1.9	297.8832	1.0	297.8820	1.9			-2.1	2.6	-	-4.6	2.0	-	-5.8	2.6	-			
<b>205</b>	294.8624	1.7	294.8520	1.9	294.8467	1.1	294.8448	1.9			-10.4	2.6	da	-15.7	2.0	da	-17.6	2.6	da			
<b>214</b>	296.3551	1.7	296.3560	2.0	296.3536	1.0	296.3512	2.0			0.9	2.6	-	-1.5	2.0	-	-3.9	2.6	-			
<b>216</b>	290.9705	1.7	290.9634	1.9	290.9588	0.9					-7.1	2.5	-	-11.7	1.9	da						
<b>217</b>	295.7666	1.7	295.7654	2.1	295.7638	0.9	295.7612	1.7	295.7582	1.7	-1.2	2.7	-	-2.8	1.9	-	-5.4	2.4	-	-8.4	2.4	da
<b>218</b>	290.2481	1.7	290.1569	2.0	290.1385	1.0					-91.3	2.6	da	-109.6	1.9	da						
<b>220</b>	290.1688	1.7	290.0486	1.9	290.0295	1.1	290.0018	1.7			-120.2	2.5	da	-139.3	2.0	da	-167.0	2.4	da			
<b>2084</b>	297.1324	1.7	297.1312	2.5	297.1292	1.0					-1.2	3.0	-	-3.2	2.0	-						
<b>2090</b>	307.6003	1.7	307.6005	2.0	307.5996	1.0					0.2	2.7	-	-0.7	2.0	-						
<b>2091</b>	299.0892	1.7	299.0846	2.2	299.0826	0.8	299.0810	1.4			-4.6	2.8	-	-6.6	1.9	da	-8.2	2.2	da			
<b>2095</b>	325.7265	1.7	325.7267	2.3	325.7266	1.2					0.2	2.8	-	0.1	2.1	-						
<b>2099</b>	292.6195	1.7	292.5956	2.5	292.5902	1.0					-23.9	3.0	da	-29.3	1.9	da						
<b>5355</b>	295.1123	1.7	295.1097	2.3	295.1088	0.6	295.1073	1.1	295.1076	1.0	-2.6	2.8	-	-3.6	1.8	-	-5.0	2.0	-	-4.8	2.0	-
<b>5400</b>	291.7318	1.7	291.7323	1.2	291.7300	0.7					0.5	2.1	-	-1.8	1.8	-						
<b>5608</b>	297.5527	1.7	297.5418	2.2	297.5412	1.0	297.5380	2.0			-10.9	2.7	da	-11.5	2.0	da	-14.7	2.6	da			
<b>5643</b>	289.2818	1.7	289.1938	1.9	289.1830	1.0					-88.0	2.6	da	-98.8	2.0	da						
<b>5644</b>	289.2402	1.7	289.1465	2.0	289.1286	1.0			289.0963	2.1	-93.7	2.6	da	-111.6	2.0	da				-143.9	2.7	da
<b>5703</b>	305.3066	1.7	305.3065	2.1	305.3051	1.2					-0.1	2.7	-	-1.5	2.1	-						
<b>5711</b>	297.0247	1.7	297.0275	2.5	297.0254	1.0					2.8	3.0	-	0.7	2.0	-						
<b>5714</b>	292.3682	1.7	292.3618	2.2	292.3589	0.9					-6.4	2.7	-	-9.3	1.9	da						
<b>5720</b>	293.9192	1.7	293.9113	1.1	293.9112	0.7	293.9109	1.2			-7.9	2.0	da	-8.0	1.8	da	-8.3	2.1	da			
<b>5725</b>	327.172	1.7	327.1725	2.3	327.1726	1.2					0.5	2.8	-	0.6	2.1	-						
<b>5740</b>	297.4897	1.7	297.4724	1.9	297.4706	1.1					-17.3	2.6	da	-19.1	2.0	da						
<b>5741</b>	294.2564	1.7	294.2403	1.9	294.2310	1.1	294.2253	1.9	294.2204	2.1	-16.1	2.6	da	-25.4	2.0	da	-31.1	2.6	da	-36.0	2.7	da
<b>5745</b>	292.9235	1.7	292.9059	1.9	292.9033	1.1					-17.6	2.6	da	-20.2	2.0	da						
<b>5749</b>	291.2197	1.7	291.1936	2.0	291.1906	1.1			291.1810	2.2	-26.1	2.6	da	-29.1	2.0	da				-38.7	2.8	da
<b>5754</b>	298.4852	1.7	298.4831	1.9	298.4841	1.0	298.4831	1.9	298.4829	2.1	-2.1	2.6	-	-1.1	2.0	-	-2.1	2.6	-	-2.3	2.7	-
<b>5755</b>	296.896	1.7	296.8573	1.9	296.8520	1.1	296.8446	1.9	296.8385	2.1	-38.7	2.6	da	-44.1	2.0	da	-51.4	2.6	da	-57.5	2.7	da
<b>5807</b>	301.7214	1.7	301.7170	2.0	301.7143	1.1	301.7134	2.0	301.7115	2.2	-4.4	2.6	-	-7.2	2.0	da	-8.0	2.6	da	-9.9	2.8	da
<b>5819</b>	295.1911	1.7	295.1907	1.8	295.1921	1.0	295.1896	1.9	295.1890	2.1	-0.4	2.5	-	1.0	2.0	-	-1.5	2.5	-	-2.1	2.7	-
<b>5820</b>	294.0659	1.7	294.0658	1.9	294.0650	1.0	294.0631	1.9	294.0612	2.1	-0.1	2.5	-	-0.9	2.0	-	-2.8	2.5	-	-4.7	2.7	-
<b>5832</b>	297.9613	1.7	297.9508	1.7							-10.5	2.4	da									
<b>5833</b>	298.6136	1.7	298.6092	1.7	298.6086	1.0	298.6069	1.7	298.6034	2.0	-4.4	2.4	-	-5.0	2.0	-	-6.7	2.4	-	-10.2	2.6	da
<b>5837</b>	296.7244	1.7	296.7234	2.1	296.7224	1.0	296.7199	2.0	296.7200	2.0	-1.0	2.7	-	-2.0	2.0	-	-4.5	2.6	-	-4.4	2.6	-
<b>5838</b>	296.5622	1.7	296.5505	1.6	296.5421	1.0					-11.8	2.3	da	-20.1	2.0	da						
<b>5878</b>	288.2758	1.7	288.1648	2.0	288.1496	1.0	288.1269	2.1	288.1037	2.1	-111.0	2.6	da	-126.2	2.0	da	-148.9	2.7	da	-172.1	2.7	da
<b>7189</b>	295.7402	1.7	295.7342	2.4	295.7316	1.0					-6.0	3.0	-	-8.6	2.0	da						
<b>7190</b>	301.2101	1.7	301.2121	2.3	301.2090	1.0					2.0	2.9	-	-1.1	1.9	-						
<b>7194</b>	324.6396	1.7	324.6381	2.3	324.6374	1.2					-1.5	2.8	-	-2.2	2.1	-						
<b>7197</b>	299.8764	1.7	299.8715	1.9	299.8709	1.0					-4.9	2.5	-	-5.5	2.0	-						
<b>7200</b>	293.9299	1.7	293.9290	0.2	293.9294	0.1	293.9295	0.2			-0.9	1.7	-	-0.5	1.7	-	-0.4	1.7	-			
<b>7201</b>	290.7822	1.7	290.7724	0.9	290.7714	0.6	290.7686	1.0	290.7668	1.1	-9.8	1.9	da	-10.9	1.8	da	-13.6	2.0	da	-15.4	2.0	da
<b>13/9</b>	296.7208	1.7	296.7149	1.6	296.7158	1.0	296.7165	1.7	296.7140	1.9	-5.9	2.3	-	-5.0	2.0	-	-4.3	2.4	-	-6.8	2.6	-
<b>13/11</b>	296.9420	1.7	296.9361	1.6	296.9362	1.0	296.9367	1.7	296.9352	2.0	-5.9	2.4	-	-5.8	2.0	-	-5.4	2.4	-	-6.8	2.6	-

**Primerjava terminske izmere 1978 z izmerami 1992, 1994, 1996 in 2000**

Reper	H78 [m]	σ H78 [mm]	H92 [m]	σ92 [mm]	H94 [m]	σ94 [mm]	H96 [m]	σ96 [mm]	H00 [m]	σ00 [mm]	dH [mm] (H92 - H78)	σdH [mm]	Premik (≥ 3·σdH)	dH [mm] (H94 - H78)	σdH [mm]	Premik (≥ 3·σdH)	dH [mm] (H96 - H78)	σdH [mm]	Premik (≥ 3·σdH)	dH [mm] (H00 - H78)	σdH [mm]	Premik (≥ 3·σdH)
14/1	296.9418	1.7	296.9348	1.7	296.9349	1.0	296.9330	1.7			-7.0	2.4	-	-6.9	2.0	da	-8.8	2.4	da			
17/43	294.1573	1.7	293.6828	1.9	293.6815	1.1			293.6724	2.1	-474.5	2.6	da	-475.8	2.0	da				-484.9	2.7	da
17/46	294.9321	1.7	294.9205	1.8							-11.6	2.5	da									
18/14	290.1688	1.7	290.1344	2.0	290.1309	1.1			290.1185	2.2	-34.4	2.6	da	-37.9	2.0	da				-50.3	2.8	da
18/28	297.791	1.7	297.7873	1.9	297.7866	1.0	297.7847	1.9	297.7764	2.1	-3.7	2.5	-	-4.4	2.0	-	-6.3	2.6	-	-14.6	2.7	da
18/30	292.2089	1.7	292.2108	1.9	292.2113	1.1					1.9	2.6	-	2.4	2.0	-						
18/31	297.6644	1.7	297.6438	1.9	297.6417	1.1	297.6381	1.9			-20.6	2.6	da	-22.7	2.0	da	-26.3	2.6	da			
18/32	290.5791	1.7	290.5413	2.0	290.5380	1.1			290.5264	2.2	-37.8	2.6	da	-41.1	2.0	da				-52.7	2.8	da
27/19	302.3304	1.7	302.3204	2.1	302.3167	1.1	302.3154	2.1	302.3126	2.2	-10.0	2.7	da	-13.7	2.0	da	-15.0	2.7	da	-17.8	2.8	da
39/1	288.9447	1.7	288.8618	1.9	288.8492	1.0			288.8275	2.1	-82.9	2.6	da	-95.5	2.0	da				-117.2	2.7	da
39/2	288.5491	1.7	288.8092	1.9							260.1	2.6	da									
39/5	288.6308	1.7	288.5720	1.9	288.5653	1.0	288.5566	2.1	288.5478	2.1	-58.8	2.6	da	-65.5	2.0	da	-74.2	2.7	da	-83.0	2.7	da
39/6	288.5513	1.7	288.4310	2.0	288.4215	1.0	288.4086	2.1	288.3919	2.1	-120.3	2.6	da	-129.8	2.0	da	-142.7	2.7	da	-159.4	2.7	da
39/7	289.1466	1.7	289.1374	1.9	289.1365	1.0	289.1378	2.1	289.1372	2.1	-9.2	2.5	da	-10.1	2.0	da	-8.8	2.7	da	-9.4	2.7	da
39/8	287.5943	1.7	287.5809	1.9	287.5800	1.0	287.5799	2.1	287.5789	2.1	-13.4	2.6	da	-14.3	2.0	da	-14.4	2.7	da	-15.4	2.7	da
39/9	288.7363	1.7	288.7116	1.9	288.7085	1.0	288.7071	2.1	288.7036	2.1	-24.7	2.6	da	-27.8	2.0	da	-29.2	2.7	da	-32.7	2.7	da
39/10	288.6324	1.7	288.6012	1.9	288.5969	1.1	288.5963	2.0	288.5921	2.1	-31.3	2.6	da	-35.5	2.0	da	-36.1	2.6	da	-40.3	2.7	da
39/11	289.2239	1.7	289.1603	1.9	289.1497	1.1	289.1380	2.0	289.1243	2.1	-63.6	2.6	da	-74.2	2.0	da	-85.9	2.6	da	-99.6	2.7	da
39/12	288.8946	1.7	288.8761	1.9	288.8735	1.0	288.8731	2.1	288.8707	2.1	-18.5	2.5	da	-21.1	2.0	da	-21.5	2.7	da	-23.9	2.7	da
39/13	288.7526	1.7	288.7164	2.0	288.7054	1.1	288.6963	1.9	288.6851	2.1	-36.2	2.6	da	-47.2	2.0	da	-56.3	2.6	da	-67.5	2.7	da
39/15	288.5306	1.7	288.4450	1.9	288.4281	1.1	288.4074	1.8	288.3910	2.1	-85.6	2.6	da	-102.5	2.0	da	-123.2	2.5	da	-139.6	2.7	da
39/16	289.013	1.7	288.9287	1.9	288.9115	1.1	288.8855	1.7	288.8671	2.1	-84.3	2.5	da	-101.5	2.0	da	-127.5	2.4	da	-145.9	2.7	da
39/17	289.5529	1.7			289.4611	1.1								-91.9	2.0	da						
39/23	292.618	1.7	292.6076	1.8	292.6100	1.0	292.6058	1.7	292.6014	2.9	-10.4	2.4	da	-8.0	2.0	da	-12.2	2.4	da	-16.6	3.3	da
39/58	291.5196	1.7	291.5116	2.0	291.5112	1.1					-8.0	2.6	da	-8.4	2.0	da						
39/72	288.728	1.7	288.6057	2.0	288.5963	1.0	288.5833	2.1	288.5726	2.1	-122.3	2.6	da	-131.7	2.0	da	-144.7	2.7	da	-155.4	2.7	da
39/77	292.6856	1.7	292.6768	1.8	292.6788	1.1	292.6732	1.6	292.6706	2.6	-8.8	2.5	da	-6.8	2.0	da	-12.4	2.4	da	-15.0	3.1	da
40/5	294.8551	1.7	294.8521	2.0	294.8503	1.1	294.8486	2.0	294.8472	2.1	-3.0	2.6	-	-4.8	2.0	-	-6.5	2.6	-	-7.9	2.7	-
40/6	293.135	1.7	293.1277	2.0	293.1245	1.1	293.1205	2.0	293.1179	2.1	-7.3	2.6	-	-10.5	2.0	da	-14.5	2.6	da	-17.1	2.7	da
40/9	289.4269	1.7	289.4011	1.9	289.3981	1.0					-25.8	2.6	da	-28.8	2.0	da						
40/10	290.163	1.7	290.1172	2.0	290.1133	1.0	290.1074	2.0			-45.8	2.6	da	-49.7	2.0	da	-55.6	2.6	da			
40/13	292.6754	1.7	292.6660	2.0	292.6640	1.0	292.6610	2.0	292.6584	2.1	-9.4	2.6	da	-11.4	2.0	da	-14.4	2.6	da	-17.0	2.7	da
40/14	290.2937	1.7	290.2807	2.0	290.2789	1.0	290.2754	2.0	290.2729	2.1	-13.0	2.6	da	-14.8	2.0	da	-18.3	2.6	da	-20.8	2.7	da
40/17	288.6796	1.7	288.5233	2.0	288.5053	1.0			288.4634	2.1	-156.3	2.6	da	-174.3	2.0	da				-216.2	2.7	da
40/18	288.9241	1.7	288.7869	2.0	288.7627	1.0			288.6998	2.1	-137.2	2.6	da	-161.4	2.0	da				-224.3	2.7	da
40/21	294.4578	1.7	294.4546	2.0	294.4523	1.0	294.4496	2.0	294.4484	2.0	-3.2	2.6	-	-5.5	2.0	-	-8.2	2.6	da	-9.4	2.6	da
40/22	290.6199	1.7	290.6028	2.0	290.5995	1.0					-17.1	2.6	da	-20.4	2.0	da						
40/26	288.1812	1.7	288.0651	2.0	288.0518	1.0					-116.1	2.6	da	-129.4	2.0	da						
41/2	288.1514	1.7	288.0865	1.9	288.0799	1.0	288.0745	2.1	288.0617	2.1	-64.9	2.5	da	-71.5	1.9	da	-76.9	2.7	da	-89.7	2.7	da
41/4	296.5091	1.7	296.3058	2.0	296.3045	1.0	296.3015	2.0	296.3014	2.0	-203.4	2.6	da	-204.6	2.0	da	-207.6	2.6	da	-207.7	2.6	da
41/5	296.7342	1.7	296.7186	2.1	296.7177	1.0					-15.6	2.7	da	-16.5	2.0	da						
41/6	297.5353	1.7	297.5297	2.1	297.5282	1.0	297.5239	2.0	297.5222	2.0	-5.6	2.7	-	-7.1	2.0	da	-11.4	2.6	da	-13.1	2.6	da
41/11	295.3322	1.7	295.3285	2.2	295.3280	1.0	295.3246	1.9			-3.7	2.7	-	-4.2	2.0	-	-7.6	2.6	-			
41/12	295.6373	1.7	295.6371	2.2	295.6366	1.0	295.6339	1.9	295.6342	1.9	-0.2	2.8	-	-0.7	2.0	-	-3.4	2.6	-	-3.1	2.6	-
41/13	293.9291	1.7	293.9211	2.2	293.9203	1.0	293.9160	1.9	293.9146	1.9	-8.0	2.8	-	-8.8	2.0	da	-13.1	2.5	da	-14.5	2.5	da
41/14	292.8605	1.7	292.8574	2.2	292.8561	1.0	292.8535	1.8	292.8535	1.8	-3.2	2.7	-	-4.4	1.9	-	-7.0	2.5	-	-7.0	2.5	-
41/15	295.8434	1.7	295.8431	2.1	295.8421	0.9	295.8397	1.8	295.8386	1.8	-0.3	2.7	-	-1.3	1.9	-	-3.7	2.5	-	-4.8	2.5	-
41/16	297.509	1.7	297.5075	2.1	297.5061	0.9	297.5023	1.7			-1.5	2.7	-	-2.9	1.9	-	-6.7	2.4	-			
41/20	289.036	1.7	288.9572	2.0	288.9446	1.0			288.9102	2.4	-78.8	2.6	da	-91.4	2.0	da				-125.8	2.9	da
41/22	288.5884	1.7	288.1698	2.1							-418.6	2.7	da									
41/26	288.6654	1.7	288.5865	2.0	288.5705	0.9			288.5254	2.5	-78.9	2.6	da	-94.9	1.9	da				-140.0	3.0	da
41/28	289.6413	1.7	289.6031	2.2							-38.2	2.7	da									
41/29	288.696	1.7	288.7134	2.1							17.3	2.7	da									
41/30	291.6416	1.7	291.6144	2.1	291.6078	0.9			290.8869	1.9	-27.2	2.7	da	-33.8	1.9	da				-754.8	2.5	da
42/3	288.9834	1.7	288.9259	1.4	288.9159	0.8	288.9029	1.4	288.8806	1.6	-57.5	2.2	da	-67.5	1.9	da	-80.5	2.2	da	-102.8	2.3	da
42/4	288.4104	1.7	288.3320	1.6	288.3140	0.9	288.3013	1.5	288.2828	1.7	-78.4	2.3	da	-96.4	1.9	da	-109.2	2.3	da	-127.6	2.4	da
42/8	287.6145	1.7	287.5236	1.8	287.5061	1.1	287.4874	1.7			-90.9	2.5	da	-108.5	2.0	da	-127.1	2.4	da			
42/9	288.4742	1.7	288.4134	1.9	288.3945	1.1	288.3710	1.7			-60.9	2.5	da	-79.7	2.0	da	-103.2	2.4	da			

**Primerjava terminske izmere 1978 z izmerami 1992, 1994, 1996 in 2000**

Reper	H78 [m]	σ H78 [mm]	H92 [m]	σ92 [mm]	H94 [m]	σ94 [mm]	H96 [m]	σ96 [mm]	H00 [m]	σ00 [mm]	dH [mm] (H92 - H78)	σdH [mm]	Premik (≥ 3·σdH)	dH [mm] (H94 - H78)	σdH [mm]	Premik (≥ 3·σdH)	dH [mm] (H96 - H78)	σdH [mm]	Premik (≥ 3·σdH)	dH [mm] (H00 - H78)	σdH [mm]	Premik (≥ 3·σdH)
<b>42/11</b>	296.2653	1.7			296.2638	0.1	296.2632	0.1	296.2630	0.1				-1.5	1.7	-	-2.1	1.7	-	-2.3	1.7	-
<b>42/12</b>	293.9464	1.7	293.9435	2.4	293.9426	0.8					-2.9	3.0	-	-3.8	1.9	-						
<b>42/13</b>	294.3273	1.7			294.3245	0.4	294.3241	0.7	294.3233	0.7				-2.8	1.7	-	-3.2	1.8	-	-4.0	1.9	-
<b>42/14</b>	291.1057	1.7	291.0805	2.4	291.0727	0.7					-25.2	2.9	da	-33.1	1.9	da						
<b>42/15</b>	290.5168	1.7	290.4549	2.4	290.4399	0.8					-61.9	2.9	da	-76.9	1.9	da						
<b>42/16</b>	290.4429	1.7	290.4292	2.3	290.4191	0.9					-13.8	2.9	da	-23.8	1.9	da						
<b>42/17</b>	290.3496	1.7	290.3160	2.3	290.3091	0.9					-33.6	2.9	da	-40.5	1.9	da						
<b>42/19</b>	293.6717	1.7	293.6576	2.3	293.6533	0.5	293.6481	0.9			-14.1	2.8	da	-18.4	1.8	da	-23.6	1.9	da			
<b>42/21</b>	297.7268	1.7	297.7314	2.5	297.7292	1.0					4.5	3.0	-	2.4	2.0	-						
<b>42/22</b>	301.5635	1.7	301.5664	2.4	301.5646	1.0					2.9	2.9	-	1.1	2.0	-						
<b>42/23</b>	294.3915	1.7	294.3880	2.0	294.3873	0.8					-3.5	2.6	-	-4.2	1.9	-						
<b>42/26</b>	297.7771	1.7	297.7718	1.8	297.7678	1.0					-5.3	2.5	-	-9.4	2.0	da						
<b>42/31</b>	295.6254	1.7	295.6161	1.9	295.6150	1.0					-9.3	2.6	da	-10.4	2.0	da						
<b>42/37</b>	296.2217	1.7	296.2161	1.8							-5.6	2.5	-									
<b>42/38</b>	295.2525	1.7	295.2463	1.8	295.2441	0.9					-6.2	2.4	-	-8.4	1.9	da						
<b>42/41</b>	306.6681	1.7	306.6686	2.3	306.6686	1.2					0.5	2.8	-	0.5	2.1	-						
<b>51/3</b>	291.9614	1.7	291.9519	0.8	291.9484	0.5	291.9495	0.8			-9.5	1.9	da	-13.0	1.8	da	-11.9	1.9	da			
<b>51/5</b>	295.7721	1.7	295.7679	1.1	295.7673	0.6	295.7664	1.1			-4.2	2.0	-	-4.8	1.8	-	-5.7	2.0	-			
<b>51/6</b>	295.9637	1.7	295.9540	1.1	295.9546	0.7	295.9535	1.2			-9.7	2.0	da	-9.1	1.8	da	-10.2	2.1	da			
<b>51/7</b>	289.8945	1.7	289.8886	1.2	289.8885	0.7	289.8869	1.3			-5.9	2.1	-	-6.0	1.8	da	-7.6	2.1	da			
<b>51/8</b>	289.885	1.7	289.8202	1.2	289.7989	0.7	289.7764	1.2			-64.8	2.1	da	-86.1	1.8	da	-108.6	2.1	da			
<b>52/1</b>	296.2053	1.7	296.1911	1.0							-14.2	2.0	da									
<b>52/2</b>	296.8819	1.7	296.8776	0.8	296.8766	0.5	296.8763	0.8	296.8781	0.9	-4.3	1.9	-	-5.3	1.8	-	-5.6	1.9	-	-3.8	1.9	-
<b>52/5</b>	300.5501	1.7	300.5448	1.5	300.5487	1.0	300.5478	1.6	300.5482	1.7	-5.3	2.2	-	-1.4	2.0	-	-2.3	2.3	-	-1.9	2.4	-
<b>52/7</b>	298.2395	1.7	298.2311	1.4	298.2357	0.8					-8.5	2.2	da	-3.8	1.9	-						
<b>52/8</b>	293.7896	1.7	293.7850	1.5	293.7892	0.9	293.7831	1.6			-4.6	2.3	-	-0.4	1.9	-	-6.5	2.4	-			