

Primerjava terminske izmere 1989 z izmerami 1992, 1994, 1996 in 2000

Izmera 1989			Izmera 1992		Izmera 1994		Izmera 1996		Izmera 2000		Primerjava 92-78			Primerjava 94-78			Primerjava 96-78			Primerjava 00-78		
Reper	H89 [m]	σ H89 [mm]	H92 [m]	σ92 [mm]	H94 [m]	σ94 [mm]	H96 [m]	σ96 [mm]	H00 [m]	σ00 [mm]	dH [mm] (H92 - H89)	σdH [mm]	Premik (≥ 3·σdH)	dH [mm] (H94 - H89)	σdH [mm]	Premik (≥ 3·σdH)	dH [mm] (H96 - H89)	σdH [mm]	Premik (≥ 3·σdH)	dH [mm] (H00 - H89)	σdH [mm]	Premik (≥ 3·σdH)
FR5	296.8047																					
FR6	293.9652																					
FR7	291.7311																					
FR3	302.7119	1.7	302.77274	2.06	302.7697	1.12	302.77009	2.07			60.8	2.7	da	57.8	2.7	da	58.2	2.7	da			
71	308.4183	1.2	308.41573	1.29							-2.6	1.8	-									
73	289.5322	1.3	289.50094	1.78	289.47999	1.03	289.46535	1.67			-31.3	2.2	da	-52.2	2.1	da	-66.8	2.1	da			
101	297.9865	1.6	297.98646	1.88	297.98518	1.03	297.98445	1.92	297.98667	2.1	0.0	2.5	-	-1.3	2.5	-	-2.0	2.5	-	0.2	2.6	-
102	292.6373	1.6	292.63769	1.96	292.63575	1.07					0.4	2.5	-	-1.6	1.6	-						
104	295.1388	1.7	295.13666	1.84	295.13459	1.03	295.13217	1.88			-2.1	2.5	-	-4.2	2.5	-	-6.6	2.5	-			
105	295.6627	1.6	295.66241	1.79	295.66323	1.02					-0.3	2.4	-	0.5	1.6	-						
106	297.1807	1.5	297.17756	1.72	297.17741	1	297.17424	1.73			-3.1	2.3	-	-3.3	2.3	-	-6.5	2.3	-			
113	298.2357	1.5	298.23161	1.55	298.2339	0.99	298.23206	1.63			-4.1	2.2	-	-1.8	2.2	-	-3.6	2.2	-			
162	297.8853	1.5	297.88585	1.93	297.88323	1.02	297.882	1.91			0.6	2.4	-	-2.1	2.4	-	-3.3	2.4	-			
165	294.0643	1.8	294.06544	2.14	294.06221	1.16					1.1	2.8	-	-2.1	1.8	-						
205	294.8526	1.6	294.85216	1.94	294.84673	1.05	294.8448	1.93			-0.4	2.5	-	-5.9	2.5	-	-7.8	2.5	da			
214	296.3514	1.5	296.35616	2	296.35363	0.99	296.35123	2			4.8	2.5	-	2.2	2.5	-	-0.2	2.5	-			
216	290.9653	1.4	290.96355	1.85	290.95878	0.93					-1.8	2.3	-	-6.5	1.4	da						
217	295.7613	1.3	295.76557	2.09	295.76383	0.85	295.76119	1.69	295.7582	1.7	4.3	2.5	-	2.5	2.1	-	-0.1	2.1	-	-3.1	2.1	-
218	290.1761	1.4	290.15703	2	290.1385	0.95					-19.1	2.4	da	-37.6	1.4	da						
220	290.0792	1.3	290.04879	1.9	290.02952	1.08	290.0018	1.7			-30.4	2.3	da	-49.7	2.1	da	-77.4	2.1	da			
238	290.6990	1	290.65429	1.07	290.63229	0.63	290.59488	1.1			-44.7	1.5	da	-66.7	1.5	da	-104.1	1.5	da			
339	307.2632	1.2	307.25988	1.28	307.26376	0.89	307.26384	1.39			-3.3	1.8	-	0.6	1.8	-	0.6	1.8	-			
2084	297.1323	1.7	297.13144	2.51	297.12916	1					-0.9	3.0	-	-3.1	1.7	-						
2089	295.5689	1.5	295.56709	1.67	295.56746	0.98	295.56611	1.67	295.56369	2.13	-1.8	2.2	-	-1.4	2.2	-	-2.8	2.2	-	-5.2	2.6	-
2090	307.6006	1.6	307.6007	2.04	307.59956	0.96					0.1	2.6	-	-1.0	1.6	-						
2091	299.0850	1.3	299.08479	2.21	299.08259	0.77	299.08097	1.43			-0.2	2.6	-	-2.4	1.9	-	-4.0	1.9	-			
2095	325.7272	1.9	325.72691	2.25	325.72662	1.16					-0.3	2.9	-	-0.6	1.9	-						
2097	295.2901	0.6	295.28844	0.57	295.28624	0.34	295.28646	0.59	295.28646	0.64	-1.7	0.8	-	-3.9	0.8	da	-3.6	0.8	da	-3.6	0.9	da
2099	292.5988	1.6	292.59581	2.51	292.59024	0.95					-3.0	3.0	-	-8.6	1.6	da						
5355	295.1108	1.1	295.10993	2.27	295.10875	0.62	295.10731	1.11	295.10755	1.03	-0.9	2.5	-	-2.0	1.6	-	-3.5	1.6	-	-3.2	1.5	-
5400	291.7315	1.1	291.73257	1.15	291.73	0.66					1.1	1.6	-	-1.5	1.1	-						
5450	288.6027	1.5			288.53409	1.02								-68.6	1.5	da						
5608	297.5399	1.6	297.54197	2.15	297.54116	1.03	297.53796	1.96			2.1	2.7	-	1.3	2.5	-	-1.9	2.5	-			
5643	289.2082	1.5	289.19399	1.95	289.18296	0.96					-14.2	2.5	da	-25.2	1.5	da						
5644	289.1635	1.5	289.14663	2.01	289.12855	0.98			289.09626	2.05	-16.9	2.5	da	-34.9	1.5	da				-67.2	2.5	da
5703	305.3078	1.8	305.30674	2.12	305.30508	1.15					-1.1	2.8	-	-2.7	1.8	-						
5711	297.0272	1.7	297.02773	2.48	297.0254	1.01					0.5	3.0	-	-1.8	1.7	-						
5714	292.3642	1.4	292.36205	2.16	292.35894	0.85					-2.1	2.6	-	-5.3	1.4	da						
5717	293.9519	1.4	293.95586	2.16	293.95528	0.98	293.95229	1.86	293.95239	1.86	4.0	2.6	-	3.4	2.3	-	0.4	2.3	-	0.5	2.3	-
5720	293.9140	1.1	293.91143	1.14	293.91117	0.68	293.91088	1.24			-2.6	1.6	-	-2.8	1.7	-	-3.1	1.7	-			
5725	327.1755	1.9	327.1727	2.28	327.17258	1.22					-2.8	3.0	-	-2.9	1.9	-						
5740	297.4741	1.6	297.47254	1.91	297.47059	1.05					-1.6	2.5	-	-3.5	1.6	-						
5741	294.2431	1.6	294.24045	1.93	294.231	1.05	294.22532	1.93	294.22037	2.13	-2.7	2.5	-	-12.1	2.5	da	-17.8	2.5	da	-22.7	2.7	da
5745	292.9092	1.6	292.90606	1.94	292.90332	1.06					-3.1	2.5	-	-5.9	1.6	da						
5749	291.1999	1.5	291.19372	2	291.19063	1.08			291.18097	2.18	-6.2	2.5	-	-9.3	1.5	da				-18.9	2.6	da
5754	298.4845	1.5	298.48324	1.94	298.48408	1.04	298.48309	1.92	298.4829	2.1	-1.3	2.5	-	-0.4	2.4	-	-1.4	2.4	-	-1.6	2.6	-
5755	296.8664	1.6	296.8574	1.94	296.85195	1.05	296.84459	1.93	296.83854	2.11	-9.0	2.5	da	-14.5	2.5	da	-21.8	2.5	da	-27.9	2.6	da
5796	294.4085	1.7	294.40837	2.11	294.40632	1.14					-0.1	2.7	-	-2.2	1.7	-						
5797	294.7106	1.7	294.71019	2.09	294.70889	1.13					-0.4	2.7	-	-1.7	1.7	-						
5805	293.4394	1.8	293.43899	2.13	293.43669	1.15					-0.4	2.8	-	-2.7	1.8	-						
5806	302.2263	1.7	302.22687	2.08	302.22407	1.13					0.6	2.7	-	-2.2	1.7	-						
5807	301.7168	1.6	301.7171	2.03	301.71425	1.1	301.7134	2.03	301.71152	2.21	0.3	2.6	-	-2.5	2.6	-	-3.4	2.6	-	-5.3	2.7	-
5819	295.1918	1.6	295.19084	1.81	295.19207	1.03	295.18959	1.85	295.18904	2.14	-1.0	2.4	-	0.3	2.4	-	-2.2	2.4	-	-2.8	2.7	-
5820	294.0665	1.6	294.06595	1.86	294.06499	1.03	294.06307	1.9	294.06117	2.12	-0.6	2.5	-	-1.5	2.5	-	-3.4	2.5	-	-5.3	2.7	-
5832	297.9551	1.6	297.95084	1.69							-4.3	2.3	-									
5833	298.6098	1.6	298.60928	1.67	298.60863	1.02	298.60688	1.71	298.6034	2.03	-0.5	2.3	-	-1.2	2.3	-	-2.9	2.3	-	-6.4	2.6	-

Primerjava terminske izmere 1989 z izmerami 1992, 1994, 1996 in 2000

Reper	H89 [m]	σ H89 [mm]	H92 [m]	σ92 [mm]	H94 [m]	σ94 [mm]	H96 [m]	σ96 [mm]	H00 [m]	σ00 [mm]	dH [mm] (H92 - H89)	σdH [mm]	Premik (≥ 3·σdH)	dH [mm] (H94 - H89)	σdH [mm]	Premik (≥ 3·σdH)	dH [mm] (H96 - H89)	σdH [mm]	Premik (≥ 3·σdH)	dH [mm] (H00 - H89)	σdH [mm]	Premik (≥ 3·σdH)
5837	296.7213	1.5	296.72355	2.08	296.72241	1.02	296.71989	2	296.72	1.98	2.3	2.6	-	1.1	2.5	-	-1.4	2.5	-	-1.3	2.5	-
5838	296.5545	1.5	296.55052	1.61	296.5421	1.01					-4.0	2.2	-	-12.4	1.5	da						
5878	288.1983	1.5	288.16496	1.96	288.14959	0.98	288.12689	2.11	288.10372	2.12	-33.3	2.5	da	-48.7	2.6	da	-71.4	2.6	da	-94.6	2.6	da
7189	295.7351	1.7	295.73441	2.44	295.7316	1.01					-0.7	3.0	-	-3.5	1.7	-						
7190	301.2114	1.6	301.2123	2.32	301.209	0.95					0.9	2.8	-	-2.4	1.6	-						
7194	324.6384	1.9	324.63833	2.27	324.63741	1.18					-0.1	3.0	-	-1.0	1.9	-						
7197	299.8739	1.6	299.87175	1.9	299.87093	1.03					-2.1	2.5	-	-3.0	1.6	-						
7200	293.9297	0.2	293.92933	0.2	293.92943	0.12	293.9295	0.18			-0.4	0.3	-	-0.3	0.3	-	-0.2	0.3	-			
7201	290.7749	0.9	290.77261	0.93	290.77135	0.55	290.76856	0.96	290.76677	1.12	-2.3	1.3	-	-3.6	1.3	-	-6.3	1.3	da	-8.1	1.4	da
7203	290.9694	1.5	290.97175	1.79	290.96938	1.05					2.3	2.3	-	0.0	1.5	-						
14/1	296.9367	1.6	296.93484	1.69	296.9349	1.01	296.93301	1.7			-1.9	2.3	-	-1.8	2.3	-	-3.7	2.3	-			
18/1	294.9141	1.6	294.91325	1.9	294.91273	1.04			294.90964	2.12	-0.9	2.5	-	-1.4	1.6	-				-4.5	2.7	-
14/2	298.4868	1.6	298.48554	1.68	298.48631	1.02	298.48497	1.71	298.4833	2.05	-1.3	2.3	-	-0.5	2.3	-	-1.8	2.3	-	-3.5	2.6	-
14/3	297.4014	1.6	297.39827	1.64							-3.1	2.3	-									
17/7	294.4892	1.6	294.48844	1.79	294.48899	1.02	294.48744	1.82	294.48581	2.14	-0.8	2.4	-	-0.2	2.4	-	-1.8	2.4	-	-3.4	2.7	-
27/7	304.3432	1.7	304.34229	2.1	304.33883	1.14					-0.9	2.7	-	-4.4	1.7	-						
17/8	295.0489	1.7	295.04802	1.82	295.04867	1.03	295.04644	1.85	295.04633	2.14	-0.9	2.5	-	-0.2	2.5	-	-2.5	2.5	-	-2.6	2.7	-
13/9	296.7181	1.5	296.715	1.6	296.71575	1.01	296.71646	1.67	296.71404	1.93	-3.1	2.2	-	-2.3	2.2	-	-1.6	2.2	-	-4.1	2.4	-
17/9	294.0950	1.7	294.09395	1.84	294.0933	1.03	294.09093	1.87	294.08985	2.14	-1.1	2.5	-	-1.7	2.5	-	-4.1	2.5	-	-5.2	2.7	-
13/11	296.9387	1.6	296.93612	1.63	296.93621	1.02	296.93665	1.69	296.9352	1.97	-2.6	2.3	-	-2.5	2.3	-	-2.0	2.3	-	-3.5	2.5	-
17/11	294.0749	1.6	294.07287	1.85	294.0734	1.03	294.07192	1.89	294.07082	2.13	-2.0	2.4	-	-1.5	2.5	-	-3.0	2.5	-	-4.1	2.7	-
13/12	296.5668	1.6	296.56378	1.63	296.56453	1.01	296.56506	1.69			-3.0	2.3	-	-2.3	2.3	-	-1.7	2.3	-			
14/12	297.3424	1.6	297.3401	1.66	297.33989	1.02	297.33861	1.7	297.33661	2.01	-2.3	2.3	-	-2.5	2.3	-	-3.8	2.3	-	-5.8	2.6	-
17/12	293.9003	1.6	293.89939	1.86	293.8988	1.03	293.89722	1.9	293.89499	2.12	-0.9	2.5	-	-1.5	2.5	-	-3.1	2.5	-	-5.3	2.7	-
27/12	295.6514	1.6	295.65166	2.03	295.64969	1.09					0.3	2.6	-	-1.7	1.6	-						
17/14	295.1884	1.6	295.18737	1.87	295.18634	1.03	295.18412	1.92			-1.0	2.5	-	-2.1	2.5	-	-4.3	2.5	-			
17/41	293.6849	1.6	294.14898	1.92	294.14805	1.05					464.1	2.5	da	463.1	1.6	da						
17/43	294.1504	1.6	293.6829	1.92	293.68153	1.05			293.67241	2.14	-467.5	2.5	da	-468.9	1.6	da				-478.0	2.7	da
17/46	294.9233	1.6	294.92063	1.77							-2.7	2.4	-									
18/14	290.1412	1.5	290.13453	2	290.1309	1.07			290.11849	2.17	-6.7	2.5	-	-10.3	1.5	da				-22.7	2.6	da
18/28	297.7885	1.6	297.78742	1.9	297.78664	1.04	297.78469	1.93	297.77636	2.12	-1.1	2.5	-	-1.9	2.5	-	-3.8	2.5	-	-12.1	2.7	da
18/30	292.2098	1.6	292.21098	1.94	292.2113	1.05					1.2	2.5	-	1.5	1.6	-						
18/31	297.6487	1.6	297.64396	1.93	297.64166	1.05	297.63813	1.93			-4.7	2.5	-	-7.0	2.5	-	-10.6	2.5	da			
18/32	290.5493	1.5	290.54146	2	290.53795	1.07			290.52637	2.18	-7.8	2.5	da	-11.3	1.5	da				-22.9	2.6	da
18/34	290.7403	1.5	290.72961	1.98	290.72533	1.06			290.71257	2.16	-10.7	2.5	da	-15.0	1.5	da				-27.7	2.6	da
18/35	290.0439	1.5	290.04185	1.97	290.03916	1.04			290.032	2.14	-2.0	2.5	-	-4.7	1.5	da				-11.9	2.6	da
27/19	302.3212	1.7	302.32056	2.06	302.31667	1.11	302.31543	2.06	302.31257	2.24	-0.6	2.7	-	-4.5	2.7	-	-5.8	2.7	-	-8.6	2.8	da
28/31	293.4763	1.8	293.47712	2.14	293.47398	1.16					0.8	2.8	-	-2.3	1.8	-						
39/1	288.8800	1.5	288.86198	1.91	288.84923	0.97			288.82749	2.08	-18.0	2.4	da	-30.8	1.5	da				-52.5	2.6	da
39/10	288.6050	1.6	288.60134	1.94	288.59694	1.05	288.5963	2.02	288.59211	2.12	-3.7	2.5	-	-8.1	2.6	da	-8.7	2.6	da	-12.9	2.7	da
39/11	289.1753	1.5	289.16047	1.95	289.14971	1.06	289.13804	1.98	289.12426	2.12	-14.8	2.5	da	-25.6	2.5	da	-37.3	2.5	da	-51.0	2.6	da
39/12	288.8822	1.4	288.87624	1.88	288.87351	0.96	288.87312	2.12	288.87071	2.06	-6.0	2.3	-	-8.7	2.5	da	-9.1	2.5	da	-11.5	2.5	da
39/13	288.7270	1.5	288.71661	1.95	288.70535	1.07	288.69625	1.94	288.68512	2.12	-10.4	2.5	da	-21.6	2.5	da	-30.7	2.5	da	-41.9	2.6	da
39/15	288.4637	1.4	288.44516	1.92	288.42809	1.08	288.40737	1.79	288.391	2.1	-18.5	2.4	da	-35.6	2.3	da	-56.3	2.3	da	-72.7	2.5	da
39/16	288.9575	1.3	288.92887	1.9	288.91149	1.08	288.88549	1.68	288.86705	2.08	-28.6	2.3	da	-46.0	2.1	da	-72.0	2.1	da	-90.4	2.5	da
39/17	289.5002	1.3			289.46105	1.12								-39.2	1.3	da						
39/23	292.6101	1.6	292.60767	1.76	292.60997	1.04	292.60581	1.71	292.60139	2.85	-2.4	2.4	-	-0.1	2.3	-	-4.3	2.3	-	-8.7	3.3	-
39/5	288.5844	1.5	288.57215	1.94	288.56527	1.01	288.55663	2.05	288.54778	2.11	-12.2	2.5	da	-19.1	2.5	da	-27.8	2.5	da	-36.6	2.6	da
39/58	291.5145	1.6	291.51175	1.97	291.51116	1.07					-2.7	2.5	-	-3.3	1.6	-						
39/6	288.4497	1.5	288.43118	1.96	288.4215	1.01	288.40857	2.09	288.39191	2.12	-18.5	2.5	da	-28.2	2.6	da	-41.1	2.6	da	-57.8	2.6	da
39/7	289.1406	1.5	289.13757	1.9	289.13647	0.98	289.13784	2.1	289.13723	2.08	-3.0	2.4	-	-4.1	2.6	-	-2.8	2.6	-	-3.4	2.6	-
39/70	292.6623	1.6	292.65589	1.99	292.65374	1.08					-6.4	2.6	-	-8.6	1.6	da						
39/72	288.6242	1.5	288.6058	1.95	288.59634	1.01	288.58325	2.07	288.57259	2.11	-18.4	2.5	da	-27.9	2.6	da	-40.9	2.6	da	-51.6	2.6	da
39/77	292.6800	1.6	292.67683	1.79	292.67882	1.05	292.67316	1.63	292.67064	2.62	-3.2	2.4	-	-1.2	2.3	-	-6.8	2.3	-	-9.4	3.1	da
39/8	287.5825	1.5	287.58108	1.92	287.57998	1.01	287.57991	2.08	287.57894	2.1	-1.4	2.4	-	-2.5	2.6	-	-2.6	2.6	-	-3.6	2.6	-
39/81	291.0145	1.4	291.01057	1.67	291.00896	0.99	291.00269	1.71	290.99739	3.09	-3.9	2.2	-	-5.5	2.2	-	-11.8	2.2	da	-17.1	3.4	da
39/82	288.4383	1.5	288.41953	1.96	288.40851	1	288.39371	2.1	288.3763	2.12	-18.8	2.5	da	-29.8	2.6	da	-44.6	2.6	da	-62.0	2.6	da
39/86	291.2388	1.5	291.23063	1.7	291.22701	1.01	291.22073	1.72	291.21429	3.04	-8.2	2.3	da	-11.8	2.3	da	-18.1	2.3	da	-24.5	3.4	da

Primerjava terminske izmere 1989 z izmerami 1992, 1994, 1996 in 2000

Reper	H89 [m]	σ H89 [mm]	H92 [m]	σ92 [mm]	H94 [m]	σ94 [mm]	H96 [m]	σ96 [mm]	H00 [m]	σ00 [mm]	dH [mm] (H92 - H89)	σdH [mm]	Premik (≥ 3·σdH)	dH [mm] (H94 - H89)	σdH [mm]	Premik (≥ 3·σdH)	dH [mm] (H96 - H89)	σdH [mm]	Premik (≥ 3·σdH)	dH [mm] (H00 - H89)	σdH [mm]	Premik (≥ 3·σdH)
39/87	295.4709	1.5	295.46846	1.74	295.47166	1.02	295.46706	1.7			-2.4	2.3	-	0.8	2.3	-	-3.8	2.3	-			
39/88	295.4759	1.6	295.47269	1.74	295.4762	1.02	295.47117	1.7			-3.2	2.4	-	0.3	2.3	-	-4.7	2.3	-			
39/9	288.7148	1.5	288.71178	1.93	288.70851	1.03	288.70707	2.06	288.7036	2.11	-3.0	2.4	-	-6.3	2.5	-	-7.7	2.5	da	-11.2	2.6	da
40/10	290.1251	1.5	290.11738	1.95	290.11328	1.03	290.10737	2			-7.7	2.5	da	-11.8	2.5	da	-17.7	2.5	da			
40/13	292.6687	1.5	292.66612	1.95	292.66399	1.03	292.66104	1.95	292.65841	2.1	-2.6	2.5	-	-4.7	2.5	-	-7.7	2.5	da	-10.3	2.6	da
40/14	290.2841	1.5	290.28086	1.95	290.27888	1.03	290.27538	1.98	290.2729	2.11	-3.2	2.5	-	-5.2	2.5	-	-8.7	2.5	da	-11.2	2.6	da
40/17	288.5521	1.5	288.52348	2	288.5053	1			288.46342	2.08	-28.6	2.5	da	-46.8	1.5	da				-88.7	2.6	da
40/18	288.8191	1.5	288.78705	2.01	288.76266	1			288.69978	2.07	-32.0	2.5	da	-56.4	1.5	da				-119.3	2.6	da
40/2	296.2591	1.6	296.25973	1.97	296.25723	1.04	296.25697	1.94			0.6	2.5	-	-1.9	2.5	-	-2.1	2.5	-			
40/21	294.4552	1.6	294.45478	2.01	294.45231	1.01	294.44959	2	294.44841	2.01	-0.4	2.6	-	-2.9	2.6	-	-5.6	2.6	-	-6.8	2.6	-
40/22	290.6039	1.5	290.60294	2.01	290.59954	0.99					-1.0	2.5	-	-4.4	1.5	-						
40/23	288.3165	1.5			288.28522	1.01	288.27169	2.13						-31.3	2.6	da	-44.8	2.6	da			
40/24	288.5576	1.5			288.51711	1.03								-40.5	1.5	da						
40/25	288.3183	1.5			288.28035	1.03								-38.0	1.5	da						
40/26	288.0897	1.5	288.06526	1.95	288.05178	0.99					-24.4	2.5	da	-37.9	1.5	da						
40/27	287.8651	1.5					287.74846	2.13									-116.6	2.6	da			
40/28	294.7766	1.5	294.77494	1.94	294.7752	1.03	294.77393	1.93	294.77272	2.09	-1.7	2.5	-	-1.4	2.4	-	-2.7	2.4	-	-3.9	2.6	-
40/29	294.2300	1.6	294.22951	2.02	294.22754	1.04	294.22518	1.99	294.22476	2.06	-0.5	2.6	-	-2.5	2.6	-	-4.8	2.6	-	-5.2	2.6	-
40/31	288.5864	1.5	288.47094	1.98	288.42784	1	288.37149	2.14	288.34032	2.08	-115.5	2.5	da	-158.6	2.6	da	-214.9	2.6	da	-246.1	2.6	da
40/32	289.0845	1.4	288.94939	1.94	288.91154	0.98	288.87511	2.14	288.8601	2.08	-135.1	2.4	da	-173.0	2.6	da	-209.4	2.6	da	-224.4	2.5	da
40/4	292.7408	1.6	292.74076	2	292.73897	1.05	292.73704	1.96	292.73625	2.09	0.0	2.6	-	-1.8	2.5	-	-3.8	2.5	-	-4.5	2.6	-
40/5	294.8530	1.6	294.85227	2.01	294.85034	1.05	294.84862	1.98	294.84722	2.08	-0.7	2.6	-	-2.7	2.5	-	-4.4	2.5	-	-5.8	2.6	-
40/6	293.1297	1.6	293.12787	2.02	293.12448	1.05	293.12045	1.99	293.11786	2.07	-1.8	2.6	-	-5.2	2.6	-	-9.3	2.6	da	-11.8	2.6	da
40/9	289.4061	1.5	289.4012	1.93	289.39814	1.01					-4.9	2.4	-	-8.0	1.5	da						
41/11	295.3278	1.5	295.32864	2.16	295.32804	1.03	295.32463	1.94			0.8	2.6	-	0.2	2.5	-	-3.2	2.5	-			
41/12	295.6340	1.5	295.63732	2.17	295.63661	1.02	295.63388	1.93	295.63423	1.94	3.3	2.6	-	2.6	2.4	-	-0.1	2.4	-	0.2	2.5	-
41/13	293.9190	1.4	293.92126	2.17	293.92031	1	293.91597	1.89	293.91464	1.9	2.3	2.6	-	1.3	2.4	-	-3.0	2.4	-	-4.4	2.4	-
41/14	292.8556	1.4	292.85753	2.15	292.85614	0.95	292.8535	1.82	292.8535	1.83	1.9	2.6	-	0.5	2.3	-	-2.1	2.3	-	-2.1	2.3	-
41/15	295.8408	1.4	295.84331	2.13	295.84214	0.92	295.83974	1.78	295.83859	1.78	2.5	2.5	-	1.3	2.3	-	-1.1	2.3	-	-2.2	2.3	-
41/16	297.5053	1.4	297.50766	2.11	297.50608	0.88	297.50228	1.73			2.4	2.5	-	0.8	2.2	-	-3.0	2.2	-			
41/19	289.2165	1.4	289.20876	1.9	289.20278	0.95			289.19744	2.17	-7.7	2.4	da	-13.7	1.4	da				-19.1	2.6	da
41/2	288.0970	1.4	288.08669	1.89	288.07987	0.95	288.07454	2.13	288.0617	2.06	-10.3	2.4	da	-17.1	2.5	da	-22.5	2.5	da	-35.3	2.5	da
41/20	288.9734	1.5	288.95738	1.98	288.94459	0.96			288.91019	2.38	-16.0	2.5	da	-28.8	1.5	da				-63.2	2.8	da
41/24	288.7171	1.4	288.69473	2.08	288.68006	0.97			288.64029	2.66	-22.4	2.5	da	-37.0	1.4	da				-76.8	3.0	da
41/26	288.6049	1.4	288.58671	2.01	288.57054	0.94			288.52544	2.53	-18.2	2.4	da	-34.4	1.4	da				-79.5	2.9	da
41/28	289.6105	1.5	289.60324	2.15							-7.3	2.6	-									
41/29	288.6421	1.4	288.71354	2.12							71.4	2.5	da									
41/30	291.6157	1.4	291.61461	2.12	291.6078	0.89			290.88685	1.86	-1.1	2.5	-	-7.9	1.4	da				-728.9	2.3	da
41/31	289.5504	1.4	289.54195	1.86	289.53624	0.94	289.53301	2.13	289.52719	2.04	-8.5	2.3	da	-14.2	2.5	da	-17.4	2.5	da	-23.2	2.5	da
41/37	291.4706	1.4							291.4698	1.9										-0.8	2.4	-
41/4	296.3027	1.5	296.30592	2.03	296.30448	1	296.30146	2	296.30137	1.98	3.2	2.5	-	1.8	2.5	-	-1.2	2.5	-	-1.3	2.5	-
41/40	294.3767	1.4	294.3756	2.11	294.37178	0.82	294.3681	1.63			-1.1	2.5	-	-4.9	2.1	-	-8.6	2.1	da			
41/5	296.7189	1.6	296.71875	2.11	296.71766	1.03					-0.2	2.6	-	-1.2	1.6	-						
41/6	297.5277	1.6	297.52984	2.13	297.52821	1.03	297.52389	1.98	297.52216	1.97	2.1	2.7	-	0.5	2.5	-	-3.8	2.5	-	-5.5	2.5	-
42/12	293.9448	1.3	293.94372	2.42	293.94261	0.78					-1.1	2.7	-	-2.2	1.3	-						
42/13	294.3265	0.7			294.32453	0.39	294.32413	0.69	294.32327	0.73				-2.0	1.0	-	-2.4	1.0	-	-3.2	1.0	da
42/14	291.0863	1.3	291.08071	2.35	291.07265	0.74					-5.6	2.7	-	-13.6	1.3	da						
42/15	290.4665	1.4	290.45509	2.36	290.43989	0.82					-11.4	2.7	da	-26.6	1.4	da						
42/16	290.4349	1.5	290.42935	2.34	290.41905	0.86					-5.6	2.8	-	-15.9	1.5	da						
42/17	290.3256	1.5	290.31624	2.3	290.30913	0.88					-9.4	2.7	da	-16.5	1.5	da						
42/19	293.6613	0.9	293.65778	2.29	293.65328	0.51	293.64812	0.91			-3.5	2.5	-	-8.0	1.3	da	-13.2	1.3	da			
42/21	297.7305	1.7	297.73156	2.45	297.7292	1.01					1.1	3.0	-	-1.3	1.7	-						
42/22	301.5657	1.7	301.56657	2.39	301.56463	0.99					0.9	2.9	-	-1.1	1.7	-						
42/23	294.3901	1.4	294.38825	1.99	294.38729	0.84					-1.8	2.4	-	-2.8	1.4	-						
42/26	297.7738	1.5	297.77201	1.84	297.76775	0.99					-1.8	2.4	-	-6.1	1.5	da						
42/3	288.9380	1.3	288.92616	1.38	288.91593	0.81	288.90291	1.37	288.88061	1.56	-11.8	1.9	da	-22.1	1.9	da	-35.1	1.9	da	-57.4	2.0	da
42/31	295.6179	1.4	295.6163	1.91	295.61496	0.99					-1.6	2.4	-	-2.9	1.4	-						
42/36	294.7567	1.5	294.75444	1.96	294.75358	0.99					-2.3	2.5	-	-3.1	1.5	-						

Primerjava terminske izmere 1989 z izmerami 1992, 1994, 1996 in 2000

Reper	H89 [m]	σ H89 [mm]	H92 [m]	σ92 [mm]	H94 [m]	σ94 [mm]	H96 [m]	σ96 [mm]	H00 [m]	σ00 [mm]	dH [mm] (H92 - H89)	σdH [mm]	Premik (≥ 3·σdH)	dH [mm] (H94 - H89)	σdH [mm]	Premik (≥ 3·σdH)	dH [mm] (H96 - H89)	σdH [mm]	Premik (≥ 3·σdH)	dH [mm] (H00 - H89)	σdH [mm]	Premik (≥ 3·σdH)
42/37	296.2183	1.4	296.21635	1.84							-2.0	2.3	-									
42/38	295.2488	1.4	295.24659	1.75	295.24412	0.94					-2.2	2.2	-	-4.7	1.4	da						
42/4	288.3490	1.4	288.33225	1.55	288.31399	0.91	288.30125	1.51	288.28275	1.73	-16.8	2.1	da	-35.0	2.1	da	-47.8	2.1	da	-66.2	2.2	da
42/41	306.6117	1.9	306.66886	2.25	306.66857	1.21					57.2	2.9	da	56.9	1.9	da						
42/43	289.0340	1.2	288.95498	1.24	288.9017	0.73	288.82953	1.25	288.78376	1.42	-79.0	1.7	da	-132.3	1.7	da	-204.5	1.7	da	-250.2	1.9	da
42/44	288.8610	1.5	288.84645	2.12	288.82911	1					-14.5	2.6	da	-31.9	1.5	da						
42/45	292.4832	1.5	292.47579	2.03	292.46938	0.87					-7.4	2.5	-	-13.8	1.5	da						
42/46	314.7989	1.7	314.79876	2.17							-0.1	2.8	-									
42/51	291.9115	1.2	291.91283	1.53							1.3	1.9	-									
42/8	287.5498	1.2	287.52382	1.84	287.50605	1.05	287.48744	1.69			-26.0	2.2	da	-43.7	2.1	da	-62.4	2.1	da			
42/9	288.4275	1.3	288.41355	1.87	288.39445	1.07	288.37098	1.69			-14.0	2.3	da	-33.1	2.1	da	-56.5	2.1	da			
51/11	291.1933	1.1	291.18183	1.15	291.17409	0.69	291.16717	1.24			-11.5	1.6	da	-19.2	1.7	da	-26.1	1.7	da			
51/14	289.6632	1	289.65076	1.03	289.64057	0.62	289.62681	1.07			-12.4	1.4	da	-22.6	1.5	da	-36.4	1.5	da			
51/3	291.9549	0.8	291.9519	0.79	291.94836	0.47	291.94947	0.84			-3.0	1.1	-	-6.5	1.2	da	-5.4	1.2	da			
51/5	295.7690	1	295.76796	1.05	295.7673	0.62	295.76644	1.11			-1.0	1.5	-	-1.7	1.5	-	-2.6	1.5	-			
51/6	295.9600	1.1	295.95407	1.12	295.95461	0.67	295.95348	1.2			-5.9	1.6	da	-5.4	1.6	da	-6.5	1.6	da			
51/7	289.8915	1.1	289.88868	1.16	289.88848	0.69	289.88691	1.25			-2.8	1.6	-	-3.0	1.7	-	-4.6	1.7	-			
51/8	289.8386	1.2	289.82039	1.16	289.79892	0.69	289.7764	1.22			-18.2	1.7	da	-39.7	1.7	da	-62.2	1.7	da			
52/1	296.1944	1	296.19113	0.99							-3.3	1.4	-									
52/10	303.6523	1.3	303.64851	1.37	303.65311	0.93	303.65287	1.49	303.65367	1.64	-3.8	1.9	-	0.8	2.0	-	0.6	2.0	-	1.4	2.1	-
52/11	306.5939	1.3	306.59559	1.37	306.59884	0.93					1.7	1.9	-	4.9	1.3	da						
52/12	305.8801	1.3	305.88148	1.43	305.88441	0.95					1.4	1.9	-	4.3	1.3	da						
52/2	296.8782	0.8	296.87766	0.8	296.87663	0.48	296.87628	0.83	296.87811	0.9	-0.5	1.1	-	-1.6	1.2	-	-1.9	1.2	-	-0.1	1.2	-
52/5	300.5491	1.4	300.54489	1.47	300.5487	0.96	300.5478	1.57	300.54819	1.74	-4.2	2.0	-	-0.4	2.1	-	-1.3	2.1	-	-0.9	2.2	-
52/7	298.2319	1.3	298.23108	1.37	298.23571	0.82					-0.8	1.9	-	3.8	1.3	-						
52/8	293.7868	1.4	293.78502	1.51	293.78917	0.9	293.78312	1.64			-1.8	2.1	-	2.4	2.2	-	-3.7	2.2	-			
52/9	297.9772	1.2	297.9726	1.2	297.97345	0.88	297.97478	1.28	297.97345	1.4	-4.6	1.7	-	-3.7	1.8	-	-2.4	1.8	-	-3.7	1.8	-
53/1	292.6806	1.5	292.68172	2.14	292.67823	0.85					1.1	2.6	-	-2.4	1.5	-						
53/10	302.7242	1.4	302.72393	1.97	302.72247	0.9					-0.3	2.4	-	-1.7	1.4	-						
53/11	302.2615	1.5	302.25848	1.99	302.25872	0.97					-3.0	2.5	-	-2.8	1.5	-						
53/12	300.6194	1.4	300.61724	1.98	300.61761	0.99					-2.2	2.4	-	-1.8	1.4	-						
53/2	294.2424	1.6	294.24435	2.2	294.24355	0.92					2.0	2.7	-	1.2	1.6	-						
53/3	294.5903	1.6	294.58935	2.22	294.58677	0.93					-0.9	2.7	-	-3.5	1.6	-						
53/4	290.1907	1.7	290.13781	2.25	290.12799	0.97					-52.9	2.8	da	-62.7	1.7	da						
53/5	290.6672	1.7	290.66293	2.26	290.65525	1					-4.3	2.8	-	-11.9	1.7	da						
53/6	290.3059	1.7	290.29079	2.26	290.23802	1.01					-15.1	2.8	da	-67.9	1.7	da						
53/7	289.6983	1.7	289.69429	2.22	289.69068	0.99					-4.0	2.8	-	-7.6	1.7	da						
53/8	289.9642	1.7	289.96178	2.18	289.9566	0.97					-2.4	2.8	-	-7.6	1.7	da						
53/9	292.4224	1.5	292.42269	2.06	292.42074	0.88					0.3	2.5	-	-1.7	1.5	-						
54/1	290.9763	1.6	290.97673	1.67	290.97619	1.02					0.4	2.3	-	-0.1	1.6	-						
54/18	290.4486	1.2	290.44891	1.34	290.44742	0.79					0.3	1.8	-	-1.2	1.2	-						
54/2	289.9230	1.6	289.90324	1.65	289.88736	1.01					-19.8	2.3	da	-35.6	1.6	da						
54/20	290.8605	1.3	290.86255	1.66	290.861	0.98					2.0	2.1	-	0.5	1.3	-						
54/22	294.4317	1.6	294.43484	1.85	294.43254	1.09					3.1	2.4	-	0.8	1.6	-						
54/23	294.3300	1.7	294.32539	1.94	294.3166	1.14					-4.6	2.6	-	-13.4	1.7	da						
54/24	292.4089	1.8	292.40336	2.02	292.38782	1.19					-5.5	2.7	-	-21.1	1.8	da						
54/25	293.4980	1.9	293.50537	2.09	293.50261	1.22					7.4	2.8	-	4.6	1.9	-						
54/26	290.5068	2	290.51156	2.17	290.5029	1.27					4.8	3.0	-	-3.9	2.0	-						
54/3	290.4562	1.6	290.45167	1.64	290.44628	0.99					-4.5	2.3	-	-9.9	1.6	da						
54/4	299.2426	1.6	299.23969	1.6	299.24273	0.97					-2.9	2.3	-	0.1	1.6	-						
54/5	293.3297	1.5	293.32763	1.49	293.32875	0.9					-2.1	2.1	-	-0.9	1.5	-						
54/6	298.8068	1.4	298.80477	1.4	298.80462	0.84					-2.0	2.0	-	-2.2	1.4	-						
54/7	293.3834	1.3	293.38191	1.33	293.38278	0.8					-1.5	1.9	-	-0.6	1.3	-						
54/8	296.0576	1.2	296.05561	1.24	296.0555	0.74					-2.0	1.7	-	-2.1	1.2	-						
900/1	293.6011	2.1	293.60469	2.86	293.59416	1.39					3.6	3.5	-	-6.9	2.1	da						
900/10	292.8938	1.9</																				

Primerjava terminske izmere 1989 z izmerami 1992, 1994, 1996 in 2000

Reper	H89 [m]	σ H89 [mm]	H92 [m]	σ92 [mm]	H94 [m]	σ94 [mm]	H96 [m]	σ96 [mm]	H00 [m]	σ00 [mm]	dH [mm] (H92 - H89)	σdH [mm]	Premik (≥ 3·σdH)	dH [mm] (H94 - H89)	σdH [mm]	Premik (≥ 3·σdH)	dH [mm] (H96 - H89)	σdH [mm]	Premik (≥ 3·σdH)	dH [mm] (H00 - H89)	σdH [mm]	Premik (≥ 3·σdH)
900/15	296.7347	1.8	296.73427	1.99	296.73273	1.21					-0.4	2.7	-	-2.0	1.8	-						
900/16	297.7685	1.8	297.76816	1.96	297.76781	1.19					-0.3	2.7	-	-0.7	1.8	-						
900/17	300.5816	1.1	300.58171	1.89	300.5807	1.15					0.1	2.2	-	-0.9	1.1	-						
900/17A	296.6404	1.5	296.64141	1.69	296.64214	1.04					1.0	2.3	-	1.7	1.5	-						
900/18	295.3714	1.5	295.37221	1.69	295.37249	1.04					0.8	2.3	-	1.1	1.5	-						
900/19	294.9804	1.5	294.98093	1.7	294.97899	1.05					0.5	2.3	-	-1.4	1.5	-						
900/2	293.0979	2.1	293.10233	2.93	293.09162	1.37					4.4	3.6	-	-6.3	2.1	-						
900/20	295.6525	1.5	295.65034	1.7							-2.2	2.3	-									
900/21	295.8467	1.5	295.84705	1.68	295.84585	1.06					0.4	2.3	-	-0.9	1.5	-						
900/22	298.0385	1.4	298.03912	1.67	298.03689	1.05					0.6	2.2	-	-1.6	1.4	-						
900/23	297.7827	1.4	297.78479	1.63	297.78627	1.04					2.1	2.1	-	3.6	1.4	-						
900/24	298.6859	1.4	298.68636	1.6	298.68807	1.03					0.5	2.1	-	2.2	1.4	-						
900/25	302.9850	1.4	302.98701	1.55	302.98971	1					2.0	2.1	-	4.7	1.4	da						
900/26	307.6846	1.4	307.68634	1.49	307.68866	0.98					1.7	2.0	-	4.1	1.4	-						
900/27	304.4017	1.3	304.40283	1.43	304.40556	0.96					1.1	1.9	-	3.9	1.3	-						
900/3	292.6902	2	292.691	2.39	292.68502	1.36					0.8	3.1	-	-5.2	2.0	-						
900/4	292.0805	2.1	292.0788	2.36	292.06565	1.38					-1.7	3.2	-	-14.8	2.1	da						
900/5	291.4099	2.1	291.40216	2.33	291.39252	1.38					-7.7	3.1	-	-17.4	2.1	da						
900/6	291.9317	2	291.92997	2.28	291.92157	1.37					-1.7	3.0	-	-10.1	2.0	da						
900/7A	292.0245	2	292.01584	2.25	291.99993	1.36					-8.7	3.0	-	-24.6	2.0	da						
900/8	292.0489	2	292.04111	2.23	292.02545	1.35					-7.8	3.0	-	-23.5	2.0	da						
900/9	292.6737	1.9	292.67435	2.22	292.67218	1.34					0.7	2.9	-	-1.5	1.9	-						
901/1	295.9536	2.1	295.9584	2.74	295.94905	1.42					4.8	3.5	-	-4.5	2.1	-						
901/7	294.2633	2.3	294.2651	2.74	294.2536	1.42					1.8	3.6	-	-9.7	2.3	da						
901/10	334.6378	2.3	334.64087	2.47	334.63553	1.49					3.1	3.4	-	-2.3	2.3	-						
901/11	343.6250	2.2	343.62794	2.43	343.6242	1.47					2.9	3.3	-	-0.8	2.2	-						
901/12	323.8769	2.2	323.87928	2.37	323.87696	1.44					2.4	3.2	-	0.1	2.2	-						
901/2	295.6825	2.2	295.68727	2.73	295.67798	1.44					4.8	3.5	-	-4.5	2.2	-						
901/3	297.9510	2.2	297.95604	2.72	297.94722	1.46					5.0	3.5	-	-3.8	2.2	-						
901/4	297.7066	2.3	297.70811	2.7	297.69571	1.48					1.5	3.5	-	-10.9	2.3	da						
901/5	293.5510	2.3	293.5557	2.68	293.54605	1.5					4.7	3.5	-	-5.0	2.3	-						
901/6	296.0117	2.3	296.0161	2.64	296.0068	1.51					4.4	3.5	-	-4.9	2.3	-						
901/8	296.7529	2.3	296.75681	2.57	296.74725	1.52					3.9	3.4	-	-5.7	2.3	-						
901/9	317.8437	2.3	317.84719	2.51	317.83962	1.5					3.5	3.4	-	-4.1	2.3	-						
902/1	292.3846	2.1	292.38617	2.76	292.37349	1.41					1.6	3.5	-	-11.1	2.1	da						
902/10	296.9540	2.1	296.96028	2.79	296.95247	1.51					6.3	3.5	-	-1.5	2.1	-						
902/11	295.4899	2.1	295.49571	2.79	295.48742	1.52					5.8	3.5	-	-2.5	2.1	-						
902/12	293.0178	2.1	293.02397	2.79	293.01559	1.52					6.2	3.5	-	-2.2	2.1	-						
902/13	293.8998	2.1	293.90618	2.78	293.89825	1.53					6.4	3.5	-	-1.6	2.1	-						
902/14	292.5944	2	292.60035	2.78	292.5921	1.53					5.9	3.4	-	-2.3	2.0	-						
902/15	292.6194	2.1	292.62569	2.77	292.61936	1.53					6.3	3.5	-	0.0	2.1	-						
902/16	293.3689	2.1	293.37577	2.76	293.36957	1.53					6.9	3.5	-	0.7	2.1	-						
902/17	299.9895	2.2	299.99665	2.74	299.99156	1.53					7.1	3.5	-	2.1	2.2	-						
902/18	294.2264	2.2	294.2313	2.73	294.22191	1.53					4.9	3.5	-	-4.5	2.2	-						
902/19	293.4786	2.2	293.48577	2.69	293.4782	1.52					7.2	3.5	-	-0.4	2.2	-						
902/1a	293.4566	2.1	293.4596	2.76	293.4483	1.41					3.0	3.5	-	-8.3	2.1	da						
902/20	293.6800	2.2	293.686	2.67	293.67932	1.51					6.0	3.5	-	-0.7	2.2	-						
902/21	293.9991	2.3	294.00592	2.65	294.00088	1.5					6.8	3.5	-	1.8	2.3	-						
902/22	298.3055	2.3	298.31151	2.63	298.30654	1.5					6.0	3.5	-	1.0	2.3	-						
902/23	294.8373	2.3	294.84421	2.59	294.8392	1.48					6.9	3.5	-	1.9	2.3	-						
902/24	294.0653	2.2	294.0713	2.57	294.06652	1.47					6.0	3.4	-	1.2	2.2	-						
902/25	293.1063	2.2	293.1127	2.55	293.10775	1.46					6.4	3.4	-	1.5	2.2	-						
902/26	291.6669	2.2	291.67201	2.47	291.66587	1.42					5.1	3.3	-	-1.0	2.2	-						
902/27	294.5541	2.2	294.56184	2.42	294.5583	1.4					7.7	3.3	-	4.2	2.2	-						
902/28	290.8258	2.2	290.83075	2.39	290.82568	1.39					5.0	3.2	-	-0.1	2.2	-						
902/29	291.3075	2.1	291.3159	2.34	291.31298	1.36					8.4	3.1	-	5.5	2.1	-						
902/2a	292.4808	2.1	292.4831	2.76	292.47042	1.42					2.3	3.5	-	-10.4	2.1	da						
902/3	293.6638	2.2	293.667	2.77	293.65619	1.43					3.2	3.5	-	-7.6	2.2	da						

Primerjava terminske izmere 1989 z izmerami 1992, 1994, 1996 in 2000

Reper	H89 [m]	σ H89 [mm]	H92 [m]	σ92 [mm]	H94 [m]	σ94 [mm]	H96 [m]	σ96 [mm]	H00 [m]	σ00 [mm]	dH [mm] (H92 - H89)	σdH [mm]	Premik (≥ 3·σdH)	dH [mm] (H94 - H89)	σdH [mm]	Premik (≥ 3·σdH)	dH [mm] (H96 - H89)	σdH [mm]	Premik (≥ 3·σdH)	dH [mm] (H00 - H89)	σdH [mm]	Premik (≥ 3·σdH)
902/30	292.5755	2.1	292.58397	2.28	292.58019	1.33					8.5	3.1	-	4.7	2.1	-						
902/4a	292.5625	2.2	292.56815	2.79	292.55853	1.47					5.7	3.6	-	-4.0	2.2	-						
902/4b	294.7359	2.2	294.7384	2.78	294.7277	1.46					2.5	3.5	-	-8.2	2.2	da						
902/5	292.2277	2.2	292.22913	2.79	292.21711	1.47					1.4	3.6	-	-10.6	2.2	da						
902/6	293.2061	2.2	293.21175	2.79	293.20241	1.48					5.7	3.6	-	-3.7	2.2	-						
902/7	294.6242	2.2	294.6298	2.79	294.62055	1.49					5.6	3.6	-	-3.6	2.2	-						
902/8	292.0127	2.2	292.00875	2.79	291.99313	1.5					-3.9	3.6	-	-19.6	2.2	da						
902/9	292.2949	2.2	292.3002	2.79	292.29271	1.51					5.3	3.6	-	-2.2	2.2	-						
904/1	292.1660	1.5	292.16462	1.68	292.16277	1.03					-1.4	2.3	-	-3.2	1.5	-						
904/2	290.6957	1.7	290.69456	1.82	290.69355	1.11					-1.1	2.5	-	-2.1	1.7	-						
904/3	296.1787	1.8	296.17792	2.09	296.17827	1.26					-0.8	2.8	-	-0.4	1.8	-						
904/4	296.2888	1.8	296.28787	2.14	296.28967	1.28					-0.9	2.8	-	0.9	1.8	-						
904/5	295.4009	1.8	295.39987	2.18	295.40102	1.31					-1.0	2.8	-	0.1	1.8	-						
904/6	306.0596	1.8	306.05746	2.21	306.05877	1.32					-2.1	2.9	-	-0.8	1.8	-						
904/7	297.2322	1.8	297.23144	2.27	297.23294	1.35					-0.8	2.9	-	0.7	1.8	-						
904/8	291.4867	1.8	291.48283	2.29	291.48189	1.36					-3.9	2.9	-	-4.8	1.8	-						
905/1	291.9824	1.6	291.98098	1.68	291.97839	1.03					-1.4	2.3	-	-4.0	1.6	-						
908/1	292.1129	2.1	292.11292	2.41	292.11018	1.38					0.0	3.2	-	-2.7	2.1	-						
908/7	291.8055	2	291.8062	2.41	291.8066	1.38					0.7	3.1	-	1.1	2.0	-						
908/2	293.4286	2.1	293.4302	2.42	293.42747	1.39					1.6	3.2	-	-1.1	2.1	-						
908/3	295.9305	2.1	295.93207	2.42	295.92938	1.4					1.6	3.2	-	-1.1	2.1	-						
908/4	292.3376	2.1	292.3393	2.42	292.3365	1.4					1.7	3.2	-	-1.1	2.1	-						
908/5	295.9188	2.1	295.91989	2.41	295.9175	1.41					1.1	3.2	-	-1.3	2.1	-						
908/6	322.5356	2	322.53628	2.39	322.53604	1.4					0.7	3.1	-	0.4	2.0	-						
908/8	288.7787	1.9	288.76748	2.32	288.75382	1.38					-11.2	3.0	da	-24.9	1.9	da						
MLXII	294.7464	2.1	294.75072	2.75	294.74127	1.4					4.3	3.5	-	-5.1	2.1	-						
MXII	298.9040	1.6	298.90518	1.77	298.90534	1.09					1.2	2.4	-	1.3	1.6	-						