

Primerjava terminske izmere 1984 z izmerami 1992, 1994, 1996 in 2000

Izmera 1984			Izmera 1992		Izmera 1994		Izmera 1996		Izmera 2000		Primerjava 92-78			Primerjava 94-78			Primerjava 96-78			Primerjava 00-78		
Reper	H84 [m]	σ H84 [mm]	H92 [m]	σ92 [mm]	H94 [m]	σ94 [mm]	H96 [m]	σ96 [mm]	H00 [m]	σ00 [mm]	dH [mm] (H92 - H84)	σdH [mm]	Premik (≥ 3·σdH)	dH [mm] (H94 - H84)	σdH [mm]	Premik (≥ 3·σdH)	dH [mm] (H96 - H84)	σdH [mm]	Premik (≥ 3·σdH)	dH [mm] (H00 - H84)	σdH [mm]	Premik (≥ 3·σdH)
FR5	296.8037																					
FR6	293.9638																					
FR7	297.7296																					
FR3	302.7699	1.7	302.77274	2.1	302.7697	1.1	302.77009	2.1	302.77217	2.2	2.8	2.7	-	-0.2	2.0	-	0.2	2.7	-	2.3	2.8	-
71	308.4215	1.7	308.41573	1.3							-5.8	2.1	-									
73	289.5823	1.7	289.50094	1.8	289.47999	1.0	289.46535	1.7			-81.4	2.5	da	-102.3	2.0	da	-116.9	2.4	da			
101	297.9822	1.7	297.98646	1.9	297.98518	1.0	297.98445	1.9	297.98667	2.1	4.3	2.5	-	3.0	2.0	-	2.3	2.6	-	4.5	2.7	-
102	292.6423	1.7	292.63769	2.0	292.63575	1.1					-4.6	2.6	-	-6.6	2.0	da						
104	295.1466	1.7	295.13666	1.8	295.13459	1.0	295.13217	1.9			-9.9	2.5	da	-12.0	2.0	da	-14.4	2.5	da			
105	295.6645	1.7	295.66241	1.8	295.66323	1.0					-2.1	2.5	-	-1.3	2.0	-						
106	297.1873	1.7	297.17756	1.7	297.17741	1.0	297.17424	1.7			-9.7	2.4	da	-9.9	2.0	da	-13.1	2.4	da			
113	298.2396	1.7	298.23161	1.6	298.2339	1.0	298.23206	1.6			-8.0	2.3	da	-5.7	2.0	-	-7.5	2.4	da			
162	297.8877	1.7	297.88585	1.9	297.88323	1.0	297.882	1.9			-1.8	2.6	-	-4.5	2.0	-	-5.7	2.6	-			
205	294.8585	1.7	294.85216	1.9	294.84673	1.1	294.8448	1.9			-6.3	2.6	-	-11.8	2.0	da	-13.7	2.6	da			
214	296.3503	1.7	296.35616	2.0	296.35363	1.0	296.35123	2.0			5.9	2.6	-	3.3	2.0	-	0.9	2.6	-			
216	290.9612	1.7	290.96355	1.9	290.95878	0.9					2.3	2.5	-	-2.4	1.9	-						
217	295.7627	1.7	295.76557	2.1	295.76383	0.9	295.76119	1.7	295.7582	1.7	2.9	2.7	-	1.1	1.9	-	-1.5	2.4	-	-4.5	2.4	-
218	290.2072	1.7	290.15703	2.0	290.1385	1.0					-50.2	2.6	da	-68.7	1.9	da						
220	290.1195	1.7	290.04879	1.9	290.02952	1.1	290.0018	1.7			-70.7	2.5	da	-90.0	2.0	da	-117.7	2.4	da			
339	307.2663	1.7	307.25988	1.3	307.26376	0.9	307.26384	1.4			-6.4	2.1	da	-2.5	1.9	-	-2.5	2.2	-			
2084	297.1297	1.7	297.13144	2.5	297.12916	1.0					1.7	3.0	-	-0.5	2.0	-						
2089	295.5701	1.7	295.56709	1.7	295.56746	1.0	295.56611	1.7	295.56369	2.1	-3.0	2.4	-	-2.6	2.0	-	-4.0	2.4	-	-6.4	2.7	-
2090	307.5953	1.7	307.6007	2.0	307.59956	1.0					5.4	2.7	-	4.3	2.0	-						
2091	299.0834	1.7	299.08479	2.2	299.08259	0.8	299.08097	1.4			1.4	2.8	-	-0.8	1.9	-	-2.4	2.2	-			
2095	325.7225	1.7	325.72691	2.3	325.72662	1.2					4.4	2.8	-	4.1	2.1	-						
2097	295.2912	1.7	295.28844	0.6	295.28624	0.3	295.28646	0.6	295.28646	0.6	-2.8	1.8	-	-5.0	1.7	-	-4.7	1.8	-	-4.7	1.8	-
2099	292.6048	1.7	292.59581	2.5	292.59024	1.0					-9.0	3.0	-	-14.6	1.9	da						
5355	295.1094	1.7	295.10993	2.3	295.10875	0.6	295.10731	1.1	295.10755	1.0	0.5	2.8	-	-0.7	1.8	-	-2.1	2.0	-	-1.8	2.0	-
5400	291.7303	1.7	291.73257	1.2	291.73	0.7					2.3	2.1	-	-0.3	1.8	-						
5608	297.5441	1.7	297.54197	2.2	297.54116	1.0	297.53796	2.0			-2.1	2.7	-	-2.9	2.0	-	-6.1	2.6	-			
5643	289.2325	1.7	289.19399	2.0	289.18296	1.0					-38.5	2.6	da	-49.5	2.0	da						
5644	289.1875	1.7	289.14663	2.0	289.12855	1.0			289.09626	2.1	-40.9	2.6	da	-58.9	2.0	da				-91.2	2.7	da
5703	305.3046	1.7	305.30674	2.1	305.30508	1.2					2.1	2.7	-	0.5	2.1	-						
5711	297.0252	1.7	297.02773	2.5	297.0254	1.0					2.5	3.0	-	0.2	2.0	-						
5714	292.3639	1.7	292.36205	2.2	292.35894	0.9					-1.8	2.7	-	-5.0	1.9	-						
5720	293.9144	1.7	293.91143	1.1	293.91117	0.7	293.91088	1.2			-3.0	2.0	-	-3.2	1.8	-	-3.5	2.1	-			
5725	327.1709	1.7	327.1727	2.3	327.17258	1.2					1.8	2.8	-	1.7	2.1	-						
5740	297.4802	1.7	297.47254	1.9	297.47059	1.1					-7.7	2.6	-	-9.6	2.0	da						
5741	294.2479	1.7	294.24045	1.9	294.231	1.1	294.22532	1.9	294.22037	2.1	-7.5	2.6	-	-16.9	2.0	da	-22.6	2.6	da	-27.5	2.7	da
5745	292.9141	1.7	292.90606	1.9	292.90332	1.1					-8.0	2.6	da	-10.8	2.0	da						
5749	291.208	1.7	291.19372	2.0	291.19063	1.1			291.18097	2.2	-14.3	2.6	da	-17.4	2.0	da				-27.0	2.8	da
5754	298.482	1.7	298.48324	1.9	298.48408	1.0	298.48309	1.9	298.4829	2.1	1.2	2.6	-	2.1	2.0	-	1.1	2.6	-	0.9	2.7	-
5755	296.8791	1.7	296.8574	1.9	296.85195	1.1	296.84459	1.9	296.83854	2.1	-21.7	2.6	da	-27.2	2.0	da	-34.5	2.6	da	-40.6	2.7	da
5807	301.7162	1.7	301.7171	2.0	301.71425	1.1	301.7134	2.0	301.71152	2.2	0.9	2.6	-	-2.0	2.0	-	-2.8	2.6	-	-4.7	2.8	-
5819	295.1891	1.7	295.19084	1.8	295.19207	1.0	295.18959	1.9	295.18904	2.1	1.7	2.5	-	3.0	2.0	-	0.5	2.5	-	-0.1	2.7	-
5820	294.0654	1.7	294.06595	1.9	294.06499	1.0	294.06307	1.9	294.06117	2.1	0.5	2.5	-	-0.4	2.0	-	-2.3	2.5	-	-4.2	2.7	-
5832	297.9574	1.7	297.95084	1.7							-6.6	2.4	-									
5833	298.6094	1.7	298.60928	1.7	298.60863	1.0	298.60688	1.7	298.6034	2.0	-0.1	2.4	-	-0.8	2.0	-	-2.5	2.4	-	-6.0	2.6	-
5837	296.7166	1.7	296.72355	2.1	296.72241	1.0	296.71989	2.0	296.72	2.0	6.9	2.7	-	5.8	2.0	-	3.3	2.6	-	3.4	2.6	-
5838	296.557	1.7	296.55052	1.6	296.5421	1.0					-6.5	2.3	-	-14.9	2.0	da						
5878	288.2326	1.7	288.16496	2.0	288.14959	1.0	288.12689	2.1	288.10372	2.1	-67.6	2.6	da	-83.0	2.0	da	-105.7	2.7	da	-128.9	2.7	da
7189	295.7367	1.7	295.73441	2.4	295.7316	1.0					-2.3	3.0	-	-5.1	2.0	-						
7190	301.2105	1.7	301.2123	2.3	301.209	1.0					1.8	2.9	-	-1.5	1.9	-						
7194	324.6352	1.7	324.63833	2.3	324.63741	1.2					3.1	2.8	-	2.2	2.1	-						
7197	299.8691	1.7	299.87175	1.9	299.87093	1.0					2.7	2.5	-	1.8	2.0	-						
7200	293.9282	1.7	293.92933	0.2	293.92943	0.1	293.9295	0.2			1.1	1.7	-	1.2	1.7	-	1.3	1.7	-			

Primerjava terminske izmere 1984 z izmerami 1992, 1994, 1996 in 2000

Reper	H84 [m]	σ H84 [mm]	H92 [m]	σ92 [mm]	H94 [m]	σ94 [mm]	H96 [m]	σ96 [mm]	H00 [m]	σ00 [mm]	dH [mm] (H92 - H84)	σdH [mm]	Premik (≥ 3·σdH)	dH [mm] (H94 - H84)	σdH [mm]	Premik (≥ 3·σdH)	dH [mm] (H96 - H84)	σdH [mm]	Premik (≥ 3·σdH)	dH [mm] (H00 - H84)	σdH [mm]	Premik (≥ 3·σdH)
7201	290.7762	1.7	290.77261	0.9	290.77135	0.6	290.76856	1.0	290.76677	1.1	-3.6	1.9	-	-4.9	1.8	-	-7.6	2.0	da	-9.4	2.0	da
13/9	296.7186	1.7	296.715	1.6	296.71575	1.0	296.71646	1.7	296.71404	1.9	-3.6	2.3	-	-2.8	2.0	-	-2.1	2.4	-	-4.6	2.6	-
13/11	296.9384	1.7	296.93612	1.6	296.93621	1.0	296.93665	1.7	296.9352	2.0	-2.3	2.4	-	-2.2	2.0	-	-1.8	2.4	-	-3.2	2.6	-
13/12	296.5664	1.7	296.56378	1.6	296.56453	1.0	296.56506	1.7			-2.6	2.4	-	-1.9	2.0	-	-1.3	2.4	-			
14/1	296.9373	1.7	296.93484	1.7	296.9349	1.0	296.93301	1.7			-2.5	2.4	-	-2.4	2.0	-	-4.3	2.4	-			
17/43	294.1516	1.7	293.6829	1.9	293.68153	1.1			293.67241	2.1	-468.7	2.6	da	-470.1	2.0	da				-479.2	2.7	da
17/46	294.9269	1.7	294.92063	1.8							-6.3	2.5	-									
18/1	294.9138	1.7	294.91325	1.9	294.91273	1.0			294.90964	2.1	-0.5	2.5	-	-1.1	2.0	-				-4.2	2.7	-
18/14	290.1513	1.7	290.13453	2.0	290.1309	1.1			290.11849	2.2	-16.8	2.6	da	-20.4	2.0	da				-32.8	2.8	da
18/28	297.7875	1.7	297.78742	1.9	297.78664	1.0	297.78469	1.9	297.77636	2.1	-0.1	2.5	-	-0.9	2.0	-	-2.8	2.6	-	-11.1	2.7	da
18/30	292.2047	1.7	292.21098	1.9	292.2113	1.1					6.3	2.6	-	6.6	2.0	da						
18/31	297.6545	1.7	297.64396	1.9	297.64166	1.1	297.63813	1.9			-10.5	2.6	da	-12.8	2.0	da	-16.4	2.6	da			
18/32	290.561	1.7	290.54146	2.0	290.53795	1.1			290.52637	2.2	-19.5	2.6	da	-23.0	2.0	da				-34.6	2.8	da
27/19	302.3221	1.7	302.32056	2.1	302.31667	1.1	302.31543	2.1	302.31257	2.2	-1.5	2.7	-	-5.4	2.0	-	-6.7	2.7	-	-9.5	2.8	da
39/1	288.9051	1.7	288.86198	1.9	288.84923	1.0			288.82749	2.1	-43.1	2.6	da	-55.9	2.0	da				-77.6	2.7	da
39/2	288.5225	1.7	288.80934	1.9							286.8	2.6	da									
39/5	288.6018	1.7	288.57215	1.9	288.56527	1.0	288.55663	2.1	288.54778	2.1	-29.7	2.6	da	-36.5	2.0	da	-45.2	2.7	da	-54.0	2.7	da
39/6	288.4876	1.7	288.43118	2.0	288.4215	1.0	288.40857	2.1	288.39191	2.1	-56.4	2.6	da	-66.1	2.0	da	-79.0	2.7	da	-95.7	2.7	da
39/7	289.1412	1.7	289.13757	1.9	289.13647	1.0	289.13784	2.1	289.13723	2.1	-3.6	2.5	-	-4.7	2.0	-	-3.4	2.7	-	-4.0	2.7	-
39/8	287.5863	1.7	287.58108	1.9	287.57998	1.0	287.57991	2.1	287.57894	2.1	-5.2	2.6	-	-6.3	2.0	da	-6.4	2.7	-	-7.4	2.7	-
39/9	288.7252	1.7	288.71178	1.9	288.70851	1.0	288.70707	2.1	288.7036	2.1	-13.4	2.6	da	-16.7	2.0	da	-18.1	2.7	da	-21.6	2.7	da
39/10	288.6177	1.7	288.60134	1.9	288.59694	1.1	288.5963	2.0	288.59211	2.1	-16.4	2.6	da	-20.8	2.0	da	-21.4	2.6	da	-25.6	2.7	da
39/11	289.1973	1.7	289.16047	2.0	289.14971	1.1	289.13804	2.0	289.12426	2.1	-36.8	2.6	da	-47.6	2.0	da	-59.3	2.6	da	-73.0	2.7	da
39/12	288.8852	1.7	288.87624	1.9	288.87351	1.0	288.87312	2.1	288.87071	2.1	-9.0	2.5	da	-11.7	2.0	da	-12.1	2.7	da	-14.5	2.7	da
39/13	288.7378	1.7	288.71661	2.0	288.70535	1.1	288.69625	1.9	288.68512	2.1	-21.2	2.6	da	-32.4	2.0	da	-41.5	2.6	da	-52.7	2.7	da
39/15	288.493	1.7	288.44516	1.9	288.42809	1.1	288.40737	1.8	288.391	2.1	-47.8	2.6	da	-64.9	2.0	da	-85.6	2.5	da	-102.0	2.7	da
39/16	288.984	1.7	288.92887	1.9	288.91149	1.1	288.88549	1.7	288.86705	2.1	-55.1	2.5	da	-72.5	2.0	da	-98.5	2.4	da	-116.9	2.7	da
39/17	289.5281	1.7			289.46105	1.1								-67.0	2.0	da						
39/23	292.6113	1.7	292.60767	1.8	292.60997	1.0	292.60581	1.7	292.60139	2.9	-3.6	2.4	-	-1.3	2.0	-	-5.5	2.4	-	-9.9	3.3	-
39/58	291.5161	1.7	291.51175	2.0	291.51116	1.1					-4.3	2.6	-	-4.9	2.0	-						
39/70	292.6727	1.7	292.65589	2.0	292.65374	1.1					-16.8	2.6	da	-19.0	2.0	da						
39/72	288.6582	1.7	288.6058	2.0	288.59634	1.0	288.58325	2.1	288.57259	2.1	-52.4	2.6	da	-61.9	2.0	da	-75.0	2.7	da	-85.6	2.7	da
39/77	292.6794	1.7	292.67683	1.8	292.67882	1.1	292.67316	1.6	292.67064	2.6	-2.6	2.5	-	-0.6	2.0	-	-6.2	2.4	-	-8.8	3.1	-
39/81	291.018	1.7	291.01057	1.7	291.00896	1.0	291.00269	1.7	290.99739	3.1	-7.4	2.4	da	-9.0	2.0	da	-15.3	2.4	da	-20.6	3.5	da
39/82	288.4769	1.7	288.41953	2.0	288.40851	1.0	288.39371	2.1	288.3763	2.1	-57.4	2.6	da	-68.4	2.0	da	-83.2	2.7	da	-100.6	2.7	da
40/2	296.2587	1.7	296.25973	2.0	296.25723	1.0	296.25697	1.9			1.0	2.6	-	-1.5	2.0	-	-1.7	2.6	-			
40/5	294.8498	1.7	294.85227	2.0	294.85034	1.1	294.84862	2.0	294.84722	2.1	2.5	2.6	-	0.5	2.0	-	-1.2	2.6	-	-2.6	2.7	-
40/6	293.1273	1.7	293.12787	2.0	293.12448	1.1	293.12045	2.0	293.11786	2.1	0.6	2.6	-	-2.8	2.0	-	-6.8	2.6	-	-9.4	2.7	da
40/9	289.4134	1.7	289.4012	1.9	289.39814	1.0					-12.2	2.6	da	-15.3	2.0	da						
40/10	290.1433	1.7	290.11738	2.0	290.11328	1.0	290.10737	2.0			-25.9	2.6	da	-30.0	2.0	da	-35.9	2.6	da			
40/13	292.6699	1.7	292.66612	2.0	292.66399	1.0	292.66104	2.0	292.65841	2.1	-3.8	2.6	-	-5.9	2.0	-	-8.9	2.6	da	-11.5	2.7	da
40/14	290.2865	1.7	290.28086	2.0	290.27888	1.0	290.27538	2.0	290.2729	2.1	-5.6	2.6	-	-7.6	2.0	da	-11.1	2.6	da	-13.6	2.7	da
40/17	288.6098	1.7	288.52348	2.0	288.5053	1.0			288.46342	2.1	-86.3	2.6	da	-104.5	2.0	da				-146.4	2.7	da
40/18	288.8604	1.7	288.78705	2.0	288.76266	1.0			288.69978	2.1	-73.4	2.6	da	-97.7	2.0	da				-160.6	2.7	da
40/21	294.4504	1.7	294.45478	2.0	294.45231	1.0	294.44959	2.0	294.44841	2.0	4.4	2.6	-	1.9	2.0	-	-0.8	2.6	-	-2.0	2.6	-
40/22	290.6024	1.7	290.60294	2.0	290.59954	1.0					0.5	2.6	-	-2.9	2.0	-						
40/26	288.1307	1.7	288.06526	2.0	288.05178	1.0					-65.4	2.6	da	-78.9	2.0	da						
40/29	294.2249	1.7	294.22951	2.0	294.22754	1.0	294.22518	2.0	294.22476	2.1	4.6	2.6	-	2.6	2.0	-	0.3	2.6	-	-0.1	2.7	-
41/2	288.1141	1.7	288.08669	1.9	288.07987	1.0	288.07454	2.1	288.0617	2.1	-27.4	2.5	da	-34.2	1.9	da	-39.6	2.7	da	-52.4	2.7	da
41/4	296.2993	1.7	296.30592	2.0	296.30448	1.0	296.30146	2.0	296.30137	2.0	6.6	2.6	-	5.2	2.0	-	2.2	2.6	-	2.1	2.6	-
41/5	296.7187	1.7	296.71875	2.1	296.71766	1.0					0.0	2.7	-	-1.0	2.0	-						
41/6	297.5264	1.7	297.52984	2.1	297.52821	1.0	297.52389	2.0	297.52216	2.0	3.4	2.7	-	1.8	2.0	-	-2.5	2.6	-	-4.2	2.6	-
41/11	295.3244	1.7	295.32864	2.2	295.32804	1.0	295.32463	1.9			4.2	2.7	-	3.6	2.0	-	0.2	2.6	-			
41/12	295.6305	1.7	295.63732	2.2	295.63661	1.0	295.63388	1.9	295.63423	1.9	6.8	2.8	-	6.1	2.0	da	3.4	2.6	-	3.7	2.6	-
41/13	293.9195	1.7	293.92126	2.2	293.92031	1.0	293.91597	1.9	293.91464	1.9	1.8	2.8	-	0.8	2.0	-	-3.5	2.5	-	-4.9	2.5	-
41/14	292.8493	1.7	292.85753	2.2	292.85614	1.0	292.8535	1.8	292.8535	1.8	8.2	2.7	da	6.8	1.9	da	4.2	2.5	-	4.2	2.5	-
41/15	295.8368	1.7	295.84331	2.1	295.84214	0.9	295.83974	1.8	295.83859	1.8	6.5	2.7	-	5.3	1.9	-	2.9	2.5	-	1.8	2.5	-
41/16	297.5019	1.7	297.50766	2.1	297.50608	0.9	297.50228	1.7			5.8	2.7	-	4.2	1.9	-	0.4	2.4	-			

Primerjava terminske izmere 1984 z izmerami 1992, 1994, 1996 in 2000

Reper	H84 [m]	σ H84 [mm]	H92 [m]	σ92 [mm]	H94 [m]	σ94 [mm]	H96 [m]	σ96 [mm]	H00 [m]	σ00 [mm]	dH [mm] (H92 - H84)	σdH [mm]	Premik (≥ 3·σdH)	dH [mm] (H94 - H84)	σdH [mm]	Premik (≥ 3·σdH)	dH [mm] (H96 - H84)	σdH [mm]	Premik (≥ 3·σdH)	dH [mm] (H00 - H84)	σdH [mm]	Premik (≥ 3·σdH)
41/19	289.2198	1.7	289.20876	1.9	289.20278	1.0			289.19744	2.2	-11.0	2.5	da	-17.0	1.9	da				-22.4	2.8	da
41/20	288.9965	1.7	288.95738	2.0	288.94459	1.0			288.91019	2.4	-39.1	2.6	da	-51.9	2.0	da				-86.3	2.9	da
41/22	288.5593	1.7	288.17	2.1							-389.3	2.7	da									
41/25	288.7537	1.7			288.69433	1.0								-59.4	2.0	da						
41/26	288.6274	1.7	288.58671	2.0	288.57054	0.9			288.52544	2.5	-40.7	2.6	da	-56.9	1.9	da				-102.0	3.0	da
41/28	289.6217	1.7	289.60324	2.2							-18.5	2.7	da									
41/29	288.6645	1.7	288.71354	2.1							49.0	2.7	da									
41/30	291.6224	1.7	291.61461	2.1	291.6078	0.9			290.88685	1.9	-7.8	2.7	-	-14.6	1.9	da				-735.6	2.5	da
42/3	288.9595	1.7	288.92616	1.4	288.91593	0.8	288.90291	1.4	288.88061	1.6	-33.3	2.2	da	-43.6	1.9	da	-56.6	2.2	da	-78.9	2.3	da
42/4	288.3766	1.7	288.33225	1.6	288.31399	0.9	288.30125	1.5	288.28275	1.7	-44.4	2.3	da	-62.6	1.9	da	-75.4	2.3	da	-93.8	2.4	da
42/8	287.5907	1.7	287.52382	1.8	287.50605	1.1	287.48744	1.7			-66.9	2.5	da	-84.7	2.0	da	-103.3	2.4	da			
42/9	288.4493	1.7	288.41355	1.9	288.39445	1.1	288.37098	1.7			-35.8	2.5	da	-54.8	2.0	da	-78.3	2.4	da			
42/11	296.2635	1.7			296.26379	0.1	296.2632	0.1	296.263	0.1				0.3	1.7	-	-0.3	1.7	-	-0.5	1.7	-
42/12	293.9433	1.7	293.94372	2.4	293.94261	0.8					0.4	3.0	-	-0.7	1.9	-						
42/13	294.3252	1.7			294.32453	0.4	294.32413	0.7	294.32327	0.7				-0.7	1.7	-	-1.1	1.8	-	-1.9	1.9	-
42/14	291.0921	1.7	291.08071	2.4	291.07265	0.7					-11.4	2.9	da	-19.5	1.9	da						
42/15	290.4962	1.7	290.45509	2.4	290.43989	0.8					-41.1	2.9	da	-56.3	1.9	da						
42/16	290.4409	1.7	290.42935	2.3	290.41905	0.9					-11.5	2.9	da	-21.8	1.9	da						
42/17	290.3352	1.7	290.31624	2.3	290.30913	0.9					-19.0	2.9	da	-26.1	1.9	da						
42/19	293.6668	1.7	293.65778	2.3	293.65328	0.5	293.64812	0.9			-9.0	2.9	da	-13.5	1.8	da	-18.7	1.9	da			
42/21	297.7284	1.7	297.73156	2.5	297.7292	1.0					3.2	3.0	-	0.8	2.0	-						
42/22	301.5649	1.7	301.56657	2.4	301.56463	1.0					1.7	2.9	-	-0.3	2.0	-						
42/23	294.3894	1.7	294.38825	2.0	294.38729	0.8					-1.1	2.6	-	-2.1	1.9	-						
42/26	297.7722	1.7	297.77201	1.8	297.76775	1.0					-0.2	2.5	-	-4.5	2.0	-						
42/31	295.6175	1.7	295.6163	1.9	295.61496	1.0					-1.2	2.6	-	-2.5	2.0	-						
42/36	294.7542	1.7	294.75444	2.0	294.75358	1.0					0.2	2.6	-	-0.6	2.0	-						
42/37	296.2159	1.7	296.21635	1.8							0.5	2.5	-									
42/38	295.2468	1.7	295.24659	1.8	295.24412	0.9					-0.2	2.4	-	-2.7	1.9	-						
42/41	306.6671	1.7	306.66886	2.3	306.66857	1.2					1.8	2.8	-	1.5	2.1	-						
42/43	289.0927	1.7	288.95498	1.2	288.9017	0.7	288.82953	1.3	288.78376	1.4	-137.7	2.1	da	-191.0	1.9	da	-263.2	2.1	da	-308.9	2.2	da
42/44	289.1277	1.7	288.84645	2.1	288.82911	1.0					-281.3	2.7	da	-298.6	2.0	da						
42/45	292.4992	1.7	292.47579	2.0	292.46938	0.9					-23.4	2.6	da	-29.8	1.9	da						
51/3	291.957	1.7	291.9519	0.8	291.94836	0.5	291.94947	0.8			-5.1	1.9	-	-8.6	1.8	da	-7.5	1.9	da			
51/5	295.7684	1.7	295.76796	1.1	295.7673	0.6	295.76644	1.1			-0.4	2.0	-	-1.1	1.8	-	-2.0	2.0	-			
51/6	295.9587	1.7	295.95407	1.1	295.95461	0.7	295.95348	1.2			-4.6	2.0	-	-4.1	1.8	-	-5.2	2.1	-			
51/7	289.8911	1.7	289.88868	1.2	289.88848	0.7	289.88691	1.3			-2.4	2.1	-	-2.6	1.8	-	-4.2	2.1	-			
51/8	289.8492	1.7	289.82039	1.2	289.79892	0.7	289.7764	1.2			-28.8	2.1	da	-50.3	1.8	da	-72.8	2.1	da			
51/11	291.2066	1.7	291.18183	1.2	291.17409	0.7	291.16717	1.2			-24.8	2.1	da	-32.5	1.8	da	-39.4	2.1	da			
51/14	289.6875	1.7	289.65076	1.0	289.64057	0.6	289.62681	1.1			-36.7	2.0	da	-46.9	1.8	da	-60.7	2.0	da			
52/1	296.2007	1.7	296.19113	1.0							-9.6	2.0	da									
52/2	296.8788	1.7	296.87766	0.8	296.87663	0.5	296.87628	0.8	296.87811	0.9	-1.1	1.9	-	-2.2	1.8	-	-2.5	1.9	-	-0.7	1.9	-
52/5	300.5476	1.7	300.54489	1.5	300.5487	1.0	300.5478	1.6	300.54819	1.7	-2.7	2.2	-	1.1	2.0	-	0.2	2.3	-	0.6	2.4	-
52/7	298.2324	1.7	298.23108	1.4	298.23571	0.8					-1.3	2.2	-	3.3	1.9	-						
52/8	293.7855	1.7	293.78502	1.5	293.78917	0.9	293.78312	1.6			-0.5	2.3	-	3.7	1.9	-	-2.4	2.4	-			
52/9	297.9839	1.7	297.9726	1.2	297.97345	0.9	297.97478	1.3	297.97345	1.4	-11.3	2.1	da	-10.4	1.9	da	-9.1	2.1	da	-10.4	2.2	da
52/10	303.6504	1.7	303.64851	1.4	303.65311	0.9	303.65287	1.5	303.65367	1.6	-1.9	2.2	-	2.7	1.9	-	2.5	2.3	-	3.3	2.4	-